

Sustainable Industrial Processing Summit & Exhibition

2016 SIPS



YANG
INTERNATIONAL
SYMPOSIUM

Publications of Wei Yang

(Updated August 31, 2016)

Academic Books (6)

Journal Papers (218)

Academic Books (6)

Monographs (3)

1. Yang W, Mechatronic Reliability, THU-Springer-Verlag, Berlin, 2002.
2. Yang W, Macroscopic and Microscopic Fracture Mechanics, Press of National Defence, 1995.
3. Yang Wei and Lee W.B., Mesoplasticity and Its Applications, *Springer-Verlag*, 1993.

Book Editing (3)

4. Gerberich W.W. and Yang W. eds, Interfacial and Nanoscale Failure, Vol. 8 of Comprehensive Structural Integrity, Elsevier Science, Oxford, March, 2003.
5. Hong Y.S., Yang W. and Wu X.R., Guest Editors, Fatigue and Fracture of Engineering Materials and Structures, vol. 25, no. 5, 2002.
6. Yang W. and Hong Y.S., Guest Editors, Fatigue and Fracture of Engineering Materials and Structures, vol. 21, no. 11, 1998.

Papers in International Journals (218)

1. Yang W. and Freund L.B., Transverse shear effects for through cracks in an elastic plate, *Int. J. Solids & Structures*, vol.21(1985), 977-994.
2. Yang W. and Freund L.B., An analysis of antiplane shear crack growth in a rate sensitive material, *Int. J. Fracture*, vol.30(1986), 157-174.
3. Yang W., A defect assessment procedure based on ductile tearing processes", *Acta Mechanica Sinica*, vol.3(1987), 342-353.
4. Yu S.W., Yang W. and Dong Y.M., Defect assessment for pressure vessels considering crack growth and strain hardening, *Int. J. of Materials and Production Technology*, vol.4(1989), 56-62.
5. Yang W., Fu Z.L. and Sun Y.S., Bridging toughening of epoxy resin by dispersed thermoplastics", *Acta Mechanica Sinica*, vol.5(1989), 332-342.
6. Zhong Z., Yang W. and Yu S.W., Further result on symmetric bending of cracked Reissner plate, *Theoretical and Applied Fracture Mechanics*, vol.12 (1990), 231-240.
7. Hwang K.C., Yu S.W. and Yang W., Theoretical investigation of crack-tip singularity fields in China, *Applied Mechanics Review*, vol.43(1990), 19-33.
8. Yang W., On spatial characterization of damage evolution in a tensile bar, *J. Mech. Phys. Solids*, vol.38(1990), 725-740.
9. Dong Y.M., Yang W. and Hwang K.C., New approach to structure integrity assessment for ductile fracture, *Fatigue and Fracture of Engng. Mater. and Structs.*, vol.13(1990), 399-410.
10. Yang W., Toughness increment by crack growth in toughened structural materials", *Acta Mechanica Sinica*, vol.7(1991), 131-139.
11. Yang W., Suo Z. and Shih C.F., Mechanics of dynamic debonding, *Proc. Roy. Soc. London, Ser. A*, vol. 433(1991), 679-697.
12. Yang W. and Boehler J.P., On description of anisotropic damage in composite laminates, *Acta Mechanica Sinica*, vol.7(1991), 335-343.
13. Zhong Z., Yang W. and Hwang K.C., Micro-experimental study of large plastic deformation for high purity polycrystalline aluminum, *Acta Mechanica Sinica*, vol.7(1991), 360-368.

14. Yang W. and Wei Y.G., Progressive damage along kink bands in fibre-reinforced composite blocks under compression, *Int. J. Damage Mechanics*, vol.1(1992), 80-101.
15. Zhong Z., Yang W. and Hwang K.C., Domain average SCM and constitutive modelling for polycrystalline aggregates", *Science in China, Ser.A*, vol.35 (1992), no. 10, 1230-1241.
16. Yang W. and Boehler J.P., Micromechanics modelling of anisotropic damage in cross-ply laminates, *Int. J. Solids & Structs.*, vol. 29(1992), 1307-1328.
17. Yang W., Cheng L. and Hwang K.C., Objective corotational rates and shear oscillation, *Int. J. Plasticity*, vol.8(1992), 653-666.
18. Yang W., Universal relations between dynamic and static interfacial stress intensity factors, *Acta Mechanica Solida Sinica*, vol.6(1993), 9-14.
19. Wei Y.G. and Yang W., Post-microbuckling of fibre bridging kink bands under compression, *Acta Mechanica Sinica*, vol.9(1993), 33-43.
20. Yang W., Guo T.F. and Fu Z.L., Crack tip superblunting : experiment, theory and numerical simulation, *Acta Mechanica Sinica*, vol.9(1993), 131-141.
21. Yang W. and Zhang H., Heterogeneous nucleation of dislocation loops under epitaxial strain, *Acta Mechanica Solida Sinica*, vol.6(1993), 243-259.
22. Dong Y.M., Yang W. and Hwang K.C., Elastic-plastic defect assessment based on ductile fracture process, *Nuclear Engineering and Design*, vol.142(1993), 27-41.
23. Guo T.F. and Yang W., Crack tip profiles generated by anisotropic damage, *Int. J. Damage Mechanics*, vol.2(1993), 364-384.
24. Yang W., Sun Q.P., Hwang K.C. and Yu S.W., Macro/meso constitutive theory and fracture of solids, *Progress in Natural Science*, vol.3(1993), 516-529.
25. Lee W.B. and Yang W., Methodology and applications of mesoplasticity in manufacturing sciences, *Int. J. Mechanical Science*, vol.35(1993), 1079-1095.
26. Lynch C.S., Chen L., Yang W., Suo Z. and McMeeking R.M., Crack growth in ferroelectric ceramics driven by cyclic polarization switching, *Adaptive Structures and Material Systems*, Ed. Carman G. and Garcia E., ASME Aerospace Division (Publication), AD vol.35, 23-34.
27. Yang W. and Shih C.F., Fracture along an interlayer, *Int. J. Solids & Structs.*, vol.31(1994), 985-1002.

28. Yang W. and Suo Z., Cracking in ceramic actuators caused by electrostriction, *J. Mech. Phys. Solids*, 42(1994), 649-663.
29. Tan H.L. and Yang W., Atomistic/continuum simulation of interfacial fracture, Part I: Atomistic simulation, *Acta Mechanica Sinica*, 10(1994), 151-162.
30. Wang B., Yang W. and Hwang K.C., An engineering fracture parameter for non-J controlled crack growth, *Fatigue & Fracture of Engineering Materials & Structures*, 17(1994), 469-477.
31. Yang W., Tan H.L. and Guo T.F., Evolution of crack tip process zone, *Modelling and Simulation in Material Science and Engineering*, vol.2(1994), 767-782.
32. Hsia K.J., Suo Z. and Yang W., Cleavage due to dislocation confinement in layered materials, *J. Mech. Phys. Solids*, 42(1994), 877-896.
33. Yang W., Wang W. and Suo Z., Cavity and dislocation buckling in electron wind, *J. Mech. Phys. Solids*, 42(1994), 897-911.
34. Zhang H. and Yang W., Three dimensional dislocation loops generated from a weak inclusion in a strained material heterostructure, *J. Mech. Phys. Solids*, 42(1994), 913-930.
35. Wei Y.G., Yang W. and Hwang K.C., Theoretical and experimental researches of post-microbuckling for fiber-reinforced composites, *Science in China (Ser. A)*, vol. 37, 1077-1087.
36. Tan H.L. and Yang W., Atomistic/continuum simulation of interfacial fracture, Part II: Combined atomistic/dislocation/continuum simulation, *Acta Mechanica Sinica*, 10(1994), no.3, 237-249.
37. Yang W., Brown M.W. and Miller K.J., A biaxial cyclic plastic analysis for cylindrical specimens, *Fat. Fract. Eng. Mat. & Structs.*, vol.17(1994), 971-989.
38. Yu H.H. and Yang W., Mechanics of transonic debonding of a bimaterial interface: The anti-plane shear case, *J. Mech. Phys. Solids*, 42(1994), 1789-1802.
39. Guo T.F. and Yang W., Brittle-damage analysis pf cracks under conditions of plane strain tensile loading, *Acta Mechanica Solida Sinica*, 8 (1995), 15-23.
40. Yu H.H. and Yang W., Mechanics of transonic debonding of a bimaterial interface: The in-plane case, *J. Mech. Phys. Solids*, 43 (1995), 207-232.
41. Lynch C.S., Chen L., Suo Z., McMeeking R.M. and Yang W., Crack growth in

- ferroelectric ceramics driven by cyclic polarization switching, *J. Intelligent Material Systems & Structures*, 6 (1995), 191-198.
- 42. Lynch C.S., Yang W., Collier, L. Suo Z. and McMeeking R.M., Electric field induced cracking in ferroelectric ceramics, *Ferroelectrics*, 166 (1995), 11-30.
 - 43. Tan H.L. and Yang W., Nonlinear motion of atoms at a crack tip during a dislocation emission processes, *J. Appl. Physics*, 78 (1995), 7026-7034.
 - 44. Chen M.X., Zheng Q.-S. and Yang W., A micromechanical model of texture induced orthotropy in planar crystalline polymers, *J. Mech. Phys. Solids*, vol. 44 (1996), 157-178.
 - 45. Fan H., Sze K.Y. and Yang W., Two dimensional contact of a piezoelectric half space, *Int. J. Solids & Structs.*, vol.33(1996), 1305-1315.
 - 46. Thouless M.D., Yu H., Zhao Z. and Yang W., Damage nucleation during electromigration along an isolated boundary in an elastic medium, *J. Mech. Phys. Solids*, vol. 44 (1996), 371-387.
 - 47. Yang W. and Tan H.L., Chaotic atom motion excited by fracture, *Material Scientific Research International*, vol. 2 (1996), 1-12.
 - 48. Yang W. and Suo Z., Global view of microstructural evolution: Energetics, kinetics and dynamic systems, *Acta Mech. Sinica*, vol. 12 (1996), 144-157.
 - 49. Tan H.L. and Yang W., Catastrophic fracture induced fracto-emission, *J. Mater. Science*, vol. 31 (1996), 2653-2660.
 - 50. Zhu T., Yang W. and Guo T., Quasi-cleavage processes driven by dislocation pileups, *Acta Mater.*, vol. 44 (1996), 3049-3058.
 - 51. Tan H.L. and Yang W., Nonlinear motion of atoms at a crack tip during cleavage processes, *Int. J. Fracture*, vol. 77 (1996), 199-212.
 - 52. Gu P., Yang W., Shih C.F. and Asaro R.J., Failure of a thin film due to inclusions on the interface, *Int. J. Solids & Structs.*, vol. 34, no. 8 (1997), 949-967.
 - 53. Zhao J.Z. and Yang W., Damage of interconnects by electromigration induced surface evolution, *Tsinghua Science and Technology*, vol. 2, no. 2 (1997), 574-577.
 - 54. Sun B., Suo Z. and Yang W., A finite element method for simulating interface motion, Part I: Migration of phase and grain boundary, *Acta Mater.*, vol. 45 (1997), 1907-1915.

55. Zhu T. and Yang W., Toughness variation of ferroelectrics by polarization switch under nonuniform electric field, *Acta Materialia*, vol. 41(1997), 4695-4702. Errata, *Acta Materialia*, vol. 46 (1997), 2251-2251.
56. Sun B., Suo Z. and Yang W., Competitive motions of grain-boundary and free surface in selecting thin film morphology, *Mater. Res. Soc. Symp. Proc.*, (1997), vol. 441, 95-100.
57. Yang W., Chen M.X. and Zheng Q.S., Constitutive modeling of aggregates with evolving inextensible constraints, *Int. J. Mechanical Sciences*, vol. 40, no. 2 (1998), 139-146.
58. Zhang S.-L., Li T. and Yang W., Statistical strength of brittle solids with strongly interacted microcracks, *Int. J. Solids Structs.*, 35 (1998), 995-1008.
59. Yang W. and Zhu T., Switch-toughening of ferroelectrics subjected to electric fields, *J. Mech. Phys. Solids*, vol. 46 (1998), 291-311.
60. Chen M-X, Yang W and Zheng Q-S. Simulation of crack tip superblunting in semi-crystalline polymers, *J. Mech. Phys. Solids*, vol. 46 (1998), 337-356.
61. Yang W and Ma C-C. Orthotropic Transform for Planar Anisotropic Elasticity and Reduced Dependence of Elastic Constants, *Proc. Royal Soc. London, Ser. A.*, vol.454 (1998), 1843-1855.
62. Zhou C., Yang W. and Fang D. N., A numerical strength analysis of metal matrix composites considering the interface and matrix damage evolution, *Metals and Materials*, vol. 4, no. 4, (1998), 624-627.
63. Yang W., Wu X. and Yang Q., Scale dependence of dislocation patterns, *Metals and Materials*, vol. 4, no. 4, (1998), 968-972.
64. Zhu T. and Yang W. Fracture, fatigue and domain switch of ferroelectrics under electric and mechanical loading, *Key Engineering Materials*, vol. 145-149 (1998), 989-998.
65. Yang Q and Yang W. Scale dependence of submicron polycrystal based on configurational entropy. *Applied Physics Letters* vol. 73(1998), no.23, 3384-3386.
66. Tan H-L and Yang W. Toughening mechanisms of nano-composite ceramics, *Mechanics of Materials*, vol. 30, no. 2, (1998), 111 - 123.
67. Yang W and Zhu T. Fracture and fatigue of ferroelectrics under electric and mechanical loading, *Fatigue & Fracture of Engineering Materials and Structure*,

- vol. 21, no. 11 (1998), 1361-1370.
- 68. Huang J, Yang W and Zhao Z. J., Interconnect damage by electromigration: experiment and numerical simulation. *Acta Materialia*, vol. 47(1998), 89-99.
 - 69. Zhang S. and Yang W. Macrocrack extension by connecting statistically distributed microcracks, *Int. J. Fracture*, vol. 90, no. 4, (1998), 341-353.
 - 70. Zhu T. and Yang W. Fatigue crack growth in ferroelectrics under alternating electric loading, *J. Mech. Phys. Solids*, vol. 47(1999), 81-97.
 - 71. Huang J and Yang W. Three dimensional evolution of interfaces under evaporation-condensation kinetics: a finite element simulation. *Modelling and Simulation in Materials Science and Engineering*, vol. 7(1999), 87-105.
 - 72. Zhu T. and Yang W. Kink crack growth in ferroelectrics, *Int. J. Solids & Structs*, vol. 36, no. 33 (1999), 5013-5027.
 - 73. Fang F, Yang W and Zhu T. Crack tip 900 switching in tetragonal lanthanum-modified lead zirconia titanate under an electric field, *Journal of Materials Research*, vol. 14, no. 7 (1999), 2940-2944.
 - 74. Zhu T, Fang F and Yang W. Fatigue crack growth in ferroelectric ceramics below coercive field, *Journal of Materials Science Letters*, vol. 18(1999), 1025-1027.
 - 75. Yin L, Yang W and Guo TF. Tunnel Reinforcement via topology optimization, *International Journal for Numerical and Analytical Methods in Geomechanics*, 24 (2000), 201-213.
 - 76. Wang X, Zhuang Z and Yang W. Stress wave propagation and absorption in multi-layered nonlinear structures. *Tsinghua Science and Technology*, 5 (2000), 5-8.
 - 77. Yin L and Yang W. Topology optimization for tunnel support in layered geological structures, *International Journal for Numerical Methods in Engineering*, 47 (2000), 1983-1996.
 - 78. Zhou C, Yang W and Fang D. Damage of short-fiber-reinforced metal matrix composite considering cooling and thermal cycling. *Journal of Engineering Materials and Technology*, vol. 122 (2000), 203-209.
 - 79. Yin L and Yang W. Topology optimization to prevent tunnel heaves under different stress biaxialities. *International Journal for Numerical and Analytical Methods in Geomechanics*, 24 (2000), 783-792.

80. Fang F and Yang W. Poling Enhanced Fracture Resistance of Lead Zirconate Titanate Ferroelectric Ceramics. *Materials Letters*, 46 (2000), 131-135.
81. Xing Y.M., Dai F.L. and Yang W., Experimental study about nano-deformation field near quasi-cleavage crack tip, *Science in China*, 43 (2000), 963-968.
82. Yang W, Fang F, Zhu T. Microscopic deformation at a crack tip in a ferroelectric material. *Key Engineering Materials*.183 (2000), 175-180.
83. Xing YM, Dai FL, Yang W. An experimental observation about dislocation nucleation based on Peierls concept. *Metals and Materials*. 7 (2001), 43-47. *Key Engineering Materials*, 183-187 (2000), 737-742
84. Yang W, Fang F, Tao M. Critical role of domain switching on the fracture toughness of poled ferroelectrics. *Int. J. Solids & Structs.*, 38(2001):2203~2211.
85. Yang Q and Yang W. Three-dimensional Analysis of Scale Dependence of Sub-micron Polycrystals due to Configuration Entropy. *Acta Mechanica Sinica*, 17 (2001), 172-182.
86. Li T and Yang W. Expected coalescing length of displacement loading collinear microcracks. *Theoretical and Applied Fracture Mechanics*, 36 (2001), 17-21.
87. Yang W., Wang H.T. and Cui Y.Q., Composite Eshelby model and domain band geometries of ferroelectric ceramics. *Science in China, Ser. E* 44 (2001), 403-413.
88. Yang W, Tang JC, Ing Y-S and Ma C-C. Transient Dislocation Emission from a Crack Tip, *J. Mech. Phys. Solids*, 49 (2001), 2431-2453.
89. Yang W and Chen MX. Modeling of large plastic deformation in crystalline polymers. *J. Mech. Phys. Solids*, 49(2001), 2719-2736.
90. Yin L and Yang W. Optimality criteria method for topology optimization under multiple constraints. *Computers and Structures*, 79(2001), 1839-1850.
91. Yang W, Wang HT, Fang F and Cui YQ. Unconventional Domain Band Structure at the Crack Tip in Ferroelectric Ceramics. *Theoretical and Applied Fracture Mechanics*, 37 (2001), 397-408.
92. Kishimoto K, Omiya M, Yang W, Fracture mechanics of bonding interface: a cohesive zone model, *SENSOR ACTUAT A-PHYS* 99 (1-2): 198-206 APR 30 2002.
93. Li T, Yang W, Critical linkages of coalescing microcracks under stress loading, *FATIGUE FRACT ENG M* 25 (5): 499-508 MAY 2002.

94. Fang F, Yang W, Indentation-induced cracking and 90 degrees domain switching pattern in barium titanate ferroelectric single crystals under different poling, MATER LETT 57 (1): 198-202 NOV 2002.
95. Yang W, Hong W, Numerical simulation for deformation of nano-grained metals, Acta Mechanica Sinica 18 (5): 506-515 OCT 2002.
96. Guo G. F., Yang W., Huang Y. and Rosakis A. J. Suddenly Decelerating or Accelerating Intersonic Shear Cracks, J. Mech. Phys. Solids, 51(2003), 311-331, .
97. Yang W., An Outline for Interfacial and Nanoscale Failure, to appear as Chapter 8.0 in Comprehensive Structure Integrity, vol. 8, Interfacial and Nanoscale Failure, Eds. W. W. Gerberich and W Yang, 2003, Elsevier Science, Oxford.
98. Yang W., Fang F. and Fang D. N., Failure of Ferroelectrics, to appear as Chapter 2.14 in Comprehensive Structure Integrity, vol. 2, Fundamentals, Eds. B Karihaloo and W G Knauss, 2003, Elsevier Science, Oxford.
99. Xing YM, Dai FL, Yang W. Nano-moire method and nanoscopic crack tip deformation, to appear as Chapter 8.0 in Comprehensive Structure Integrity, vol. 8, Interfacial and Nanoscale Failure, Eds. W. W. Gerberich and W Yang, 2003, Elsevier Science, Oxford.
100. Ma XL, Wang W, Yang W. Simulation for Surface Self-Nanocrystallization under Shot Peening, Acta Mechanica Sinica, 19 (2), 172-180, 2003
101. Zhou CW, Yang W, Fang DN Mesofracture of metal matrix composites reinforced by particles of large volume fraction, THEORETICAL AND APPLIED FRACTURE MECHANICS 41 (1-3): 311-326 APR 2004.
102. Yang W and Fang F. Toughening of Ferroelectrics by Out-of-Plane Poling. Acta Mechanica Sinica, 19 (2), 147-153, 2003.
103. Cui Y. Q. and Yang W., Effect of transverse stress on switch-toughening of ferroelectrics. Theoretical and Applied Fracture Mechanics, 39(2003), 137-142
104. Guo G. F., Yang W. and Huang Y. Intersonic crack growth under time depended loading, Int. J. Solids & Structures, 40 (11): 2757-2765, 2003.
105. Ma X.-L. and Yang W. Molecular dynamics simulation on burst and arrest of stacking faults in nanocrystalline Cu under nanoindentation, Nanotechnology 14 (2003) 1208–1215

106. Wang HT, Yang W Nitriding simulation for polycrystals of grain size gradient, *SCRIPTA MATER* 50 (4): 529-532, 2004.
107. Yang W. and Wang H. T., Mechanics modeling for deformation of nano-grained metals, *J. Mech. Phys. Solids*, 52(2004), 875—889.
108. Wang H. T and Yang W., Constitutive modeling for nanocrystalline metals based on cooperative grain boundary mechanisms, *J. Mech. Phys. Solids*, 52(2004), 1151-1173.
109. Guo G. F., Yang W. and Huang Y. Supersonic crack growth in a solid of upturn stress-strain relation under anti-plane shear, *J. Mech. Phys. Solids*, 51(11-12): 1971-1985, 2003.
110. Ma X.-L. and Yang W MD simulation for nanocrystals, *Acta Mechanica Sinica*, 19(6): 485-507, 2003.
111. Ma X.-L. and Yang W Supersonic wave propagation in Cu under high speed cluster impact, *Nanotechnology* 15 (2004), 449-456.
112. B. Chen, Y. Huang, H. Gao and W. Yang On the finite opening of intersonic shear cracks, *International Journal of Solids and Structures*, 41 (2004), 2293-2306
113. Yang W, Guo GF Continuum analyses for intersonic and supersonic fracture, *KEY ENGINEERING MATERIALS* 261-263: 1-10 Part 1&2 2004
114. Ma X.-L., Wang H.-T. and Yang W Tribological Behavior of Aligned Single-walled Carbon Nanotubes, *ASME Journal of Engineering Materials and Technology*, 126 (3): 258-264 JUL 2004,
115. Yang W, Ma XL, Wang HT, et al., Dislocation depleted deformation in nano-grained metals, *KEY ENGINEERING MATERIALS* 274-276: 51-56 2004
116. Wang HT, Yang W, Ngan AHW, Enhanced diffusivity by triple junction networks , *SCRIPTA MATERIALIA* 52 (1): 69-73 JAN 2005,
117. Wang HT, Yang W, A screw dislocation nucleated from a triple junction, *INTERNATIONAL JOURNAL OF PLASTICITY* 21 (11): 2053-2070, 2005.
118. Fang F, Yang W, Zhang FC, et al., Fatigue crack growth for BaTiO₃ ferroelectric single crystals under cyclic electric loading, *JOURNAL OF THE AMERICAN CERAMIC SOCIETY* 88 (9): 2491-2497 SEP 2005,
119. Li XY, Yang W, Multiple time step molecular dynamics simulation for

- interaction between dislocations and grain boundaries, ACTA MECHANICA SINICA 21 (4): 371-379 AUG 2005,
- 120. Yang W, Wang HT, Huang Y, Abnormal tribological behavior of multiwalled nanotube rafts - Part I: Aligned rafts, JOURNAL OF ENGINEERING MATERIALS AND TECHNOLOGY-TRANSACTIONS OF THE ASME 127 (4): 383-392 OCT 2005.
 - 121. Fang F, Li YH, Yang W, Effect of poling directions on the electric-field-induced fatigue crack growth in barium titanate ferroelectric single crystals, FERROELECTRICS 322: 11-21 2005
 - 122. Yang W, Wang HT, Huang Y, Abnormal tribological behavior of multiwalled nanotube rafts - Part II: Inclined rafts, JOURNAL OF ENGINEERING MATERIALS AND TECHNOLOGY-TRANSACTIONS OF THE ASME 127 (4): 393-399 OCT 2005.
 - 123. H. Qing, W. Yang, Thermal shock analyses for a strip containing an infinite row of periodically distributed cracks normal to its edge, Theoretical and Applied Fracture Mechanics 44 (2005) 249–260.
 - 124. Z. Guo and W. Yang, MPM/MD handshaking method for multiscale simulation and its application to high energy cluster impacts, International Journal of Mechanical Sciences, International Journal of Mechanical Sciences 48 (2006) 145–159.
 - 125. Wang HM, Yang W, Li JF, Solution set on the natural satellite formation orbits under first-order earth's non-spherical perturbation, ACTA MECHANICA SINICA 21 (5): 503-510 NOV 2005.
 - 126. Geng L., Yang W., Agglomeration of point defects in ferroelectric ceramics under cyclic electric field, Modelling Simul. Mater. Sci. Eng. 14(2006) 137-155.
 - 127. Cui YQ, Yang W, Interplay between fracture and domain switching of ferroelectrics, KEY ENGINEERING MATERIALS 306-308: 501-510 Part 1-2 2006.
 - 128. Fang HR, Tang T, Zhang XM, et al., Finite element modeling of cardiac pacing/defibrillation lead interaction with heart, KEY ENGINEERING MATERIALS 306-308: 1271-1276 Part 1-2 2006 .
 - 129. Cui YQ, Yang W, Toughening under non-uniform ferro-elastic domain switching, INTERNATIONAL JOURNAL OF SOLIDS AND STRUCTURES

- 43 (14-15): 4452-4464 JUL 2006 .
- 130. Fan HL, Yang W, An equivalent continuum method of lattice structures, ACTA MECHANICA SOLIDA SINICA 19 (2): 103-113 JUN 2006 .
 - 131. Geng LM, Yang W, Coalescence of pore columns by domain switching, ACTA MECHANICA SINICA 22 (3): 207-216 JUN 2006.
 - 132. Fan HL, Meng FH, Yang W, Mechanical behaviors and bending effects of carbon fiber reinforced lattice materials, ARCHIVE OF APPLIED MECHANICS 75 (10-12): 635-647 OCT 2006.
 - 133. Qing H., Yang W., Characterization of strongly interacted multiple cracks in an infinite plate, Theoretical and Applied Fracture Mechanics 46 (2006) 209–216.
 - 134. Li XY, Yang W, Atomistic simulations for the evolution of a U-shaped dislocation in fcc Al, PHYSICAL REVIEW B 74 (14): Art. No. 144108 OCT 2006.
 - 135. Fang F, Zhang MZ, Yang W, Strain rate mediated microstructure evolution for extruded poly(vinylidene fluoride) polymer films under uniaxial tension, JOURNAL OF APPLIED POLYMER SCIENCE 103 (3): 1786-1790 FEB 5 2007.
 - 136. Fang F., Yang W., and Zhang M. Z., Electric fatigue in polyvinylidene fluoride-trifluoroethylene 68/32 copolymer films under cyclic electric field, JOURNAL OF APPLIED PHYSICS 101, 044902 (2007) .
 - 137. Fang F., Zhang M. Z., Yang W., Strain Rate Mediated Microstructure Evolution for Extruded Poly(vinylidene fluoride) Polymer Films Under Uniaxial Tension, Journal of Applied Polymer Science, Vol. 103, 1786–1790 (2007) .
 - 138. Fang F, Yang W, Zhang MZ, et al., Deformation and molecular chain evolution of poly(vinylidene fluoride-trifluoroethylene) copolymer films under combined electrical and mechanical loads, JOURNAL OF APPLIED PHYSICS 101 (5): Art. No. 053531 MAR 1 2007.
 - 139. Li X.Y., Yang W., Simulating fullerene ball bearings of ultra-low friction, NANOTECHNOLOGY 18 (11): Art. No. 115718 MAR 21 2007.
 - 140. Li X.Y., Yang W., Liu B., Bending induced rippling and twisting of multiwalled carbon nanotubes, PHYSICAL REVIEW LETTERS 98 (20): Art. No. 205502 MAY 18 2007.
 - 141. Fan H.L., Meng F.H., Yang W., Sandwich panels with Kagome lattice cores

reinforced by carbon fibers, COMPOSITE STRUCTURES 81 (4): 533-539 DEC 2007 .

142. Zhang X.M., Ma N.K., Fan H.L., et al., In vivo mechanical study of helical cardiac pacing electrode interacting with canine myocardium, ACTA MECHANICA SINICA 23 (3): 275-280 JUN 2007.
143. Fang F., Yang W., Zhang F. C. and Qing H.. Domain structure evolution and fatigue cracking of <001>-oriented [Pb(Mg_{1/3}Nb_{2/3})O₃]_{0.67}(PbTiO₃)_{0.33} ferroelectric single crystals under cyclic electric loading, APPLIED PHYSICS LETTERS 91 (8): Art. No. 081903 AUG 20 2007.
144. FANG F., YANG W., ZHANG M. Z., WANG Z., Deformation and Fracture Behavior of High-Energy Electron Irradiated Poly(vinylidene fluoride-trifluoroethylene) Ferroelectric Copolymer Films Under Uniaxial Tension, Journal of Polymer Science: Part B: Polymer Physics, 2563-2567 (2007).
145. Fan H.L., Yang W., Chao Z.M., Microwave absorbing composite lattice grids, COMPOSITES SCIENCE AND TECHNOLOGY 67 (15-16): 3472-3479 DEC 2007.
146. Li X.Y., Yang W., Liu B., Fullerene coalescence into metallic heterostructures in boron nitride nanotubes: A molecular dynamics study, NANO LETTERS, 7: 12, 3709-3715, 2007.
147. Yang F., Yang W., Brittle versus ductile transition of nanocrystalline metals, INTERNATIONAL JOURNAL OF SOLIDS AND STRUCTURES, 45 (13) 3897-3907, JUN 30 2008 .
148. Fang F., Yang W., Jia C., et al., Polarization enhancement for poly(vinylidene fluoride-trifluoroethylene) 75/25 copolymer films by interlayer ordering under cyclic electric field, APPLIED PHYSICS LETTERS, 92 (22), 222906, JUN 2 2008.
149. Geng L.M., Yang W., Defect agglomeration in ferroelectric ceramics under cyclic electric field, SCIENCE IN CHINA SERIES E-TECHNOLOGICAL SCIENCES, 51: 8, 1296-1305, AUG 2008.
150. Qing H., Yang W., Lu J., et al., Thermal-stress analysis for a strip of finite width containing a stack of edge cracks, JOURNAL OF ENGINEERING MATHEMATICS, 61: 2-4, 161-169, AUG 2008 .
151. Ma X.L., Yang W., Dislocation-assisted grain growth in nanocrystalline copper

- under large deformation. *Scripta Materialia* 59 (2008), pp. 792-795.
- 152. Fang F., Yang W., Zhang F.C., et al., In-situ observation of fatigue crack growth for <001>-oriented rhombohedral Pb(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃ ferroelectric single crystal, *INTERNATIONAL JOURNAL OF FRACTURE*, 151: 2, 161-168, JUN 2008.
 - 153. Fang F., Yang W., Zhang M.Z., et al., Electric Fatigue of Ceramic-Polymer Composite Film Under Cyclic Electric Field, *JOURNAL OF APPLIED POLYMER SCIENCE*, 111: 2, 1105-1109, JAN 15 2009.
 - 154. Fang F., Yang W., Jia C., Zhang F.C., Effect of Crystallite Size on the Deformation and Fracture of Poly(vinylidene fluoride-trifluoroethylene) Ferroelectric Copolymer Films Under Uniaxial Tension, *POLYMER ENGINEERING AND SCIENCE*, 2335-2339, 2008 .
 - 155. Fang F., Yang W., Zhang F.C. and Qing H., Electric field-induced crack growth and domain-structure evolution for [100]- and [101]-oriented 72%Pb(Mg_{1/3}Nb_{2/3})O₃-28%PbTiO₃ ferroelectric single crystals, *JOURNAL OF MATERIALS RESEARCH*, 23: 12, 3387-3395, DEC 2008 .
 - 156. Li X.Y., Yang W., Size Dependence of Dislocation-Mediated Plasticity in Ni Single Crystals: Molecular Dynamics Simulations, *JOURNAL OF NANOMATERIALS*, Article Number: 245941, 2009.
 - 157. Fang F., Yang W., Zhang M.Z., Wang Z., Mechanical response of barium-titanate/polymer 0-3 ferroelectric nano-composite film under uniaxial tension, *Composites Science and Technology* 69 (2009) 602-605.
 - 158. Yang F., Yang W., Crack growth versus blunting in nanocrystalline metals with extremely small grain size, *JOURNAL OF THE MECHANICS AND PHYSICS OF SOLIDS*, 57: 2, 305-324, FEB 2009 .
 - 159. Fang F., Luo X., Yang W., Polarization rotation and multiphase coexistence for Pb(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃ single crystals at the morphotropic phase boundary under electric loading, *PHYSICAL REVIEW B*, 79: 17, 174118, MAY 2009.
 - 160. Fang F., Yang W., Yang Wen, Mechanical flexible and electric fatigue resistant behavior of relexor ferroelectric terpolymer, *JOURNAL OF APPLIED PHYSICS* 106, 034106, 2009 .
 - 161. Yang F., Yang W., Kinetics and size effect of grain rotations in nanocrystals

- with rounded triple junctions, *SCRIPTA MATERIALIA*, 61: 9, 919-922, NOV 2009.
- 162. Li X.Y., Wei Y.J., Yang W., et al., Competing grain-boundary- and dislocation-mediated mechanisms in plastic strain recovery in nanocrystalline aluminum, *PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA*, 106: 38, 16108-16113, SEP 22 2009 .
 - 163. Fan H.L., Fang D.N., Chen L.M., et al., Manufacturing and testing of a CFRC sandwich cylinder with Kagome cores, *COMPOSITES SCIENCE AND TECHNOLOGY*, 69: 15-16, 2695-2700, DEC 2009.
 - 164. Fang F., Yang W., Luo X., Roles of microcracking and phase transition on electric fatigue for [001]-oriented Pb(Mg_{1/3}Nb_{2/3})O₃-PbTiO₃ single crystals, *JOURNAL OF APPLIED PHYSICS*, 106: 9, 094107, NOV 1 2009.
 - 165. Yang W., Feng X., Qin Q.H., Preface to the Special Issue in Celebration of Professor Shouwen Yu's 70th Birthday, *ACTA MECHANICA SOLIDA SINICA*, 22: 5, Sp. Iss. SI, AR1-AR2, OCT 2009
 - 166. Li Z.H., Yang W., Capture and manipulation of hybrid DNAs by carbon nanotube bundles, *NANOTECHNOLOGY*, 21: 19, 195301, MAY 14 2010.
 - 167. Lin C., Wang H.T., Yang W., Variable percolation threshold of composites with fiber fillers under compression, *JOURNAL OF APPLIED PHYSICS*, 108: 1, 013509, JUL 2 2010,.
 - 168. Lin C., Wang H.T., Yang W., The thermomutability of single-walled carbon nanotubes by constrained mechanical folding, *NANOTECHNOLOGY*, 21: 36, 365708, SEP 10 2010.
 - 169. Qing H., Yang W., Lu J.A., Numerical Simulation of Multiple Cracking in ANSI 304 Stainless Steel Under Thermal Fatigue, *INTERNATIONAL JOURNAL OF DAMAGE MECHANICS*, 19: 7, 767-785, SEP 2010.
 - 170. Lin C., Wang H.T., Yang W., Shift in the percolation threshold of compressed composites-A 3D Monte Carlo simulation, *JOURNAL OF ZHEJIANG UNIVERSITY-SCIENCE A*, 11: 10, Sp. Iss. SI: 822-826, OCT 2010.
 - 171. Li Z.H., Yang W., Injection of stored nucleotides from single-walled carbon nanotubes, *JOURNAL OF ZHEJIANG UNIVERSITY-SCIENCE A*, 11: 10, Sp. Iss. SI, 709-713, OCT 2010.
 - 172. Zhou H.F., Qu S.X., Yang W., Toughening by nano-scaled twin boundaries in

nanocrystals, MODELLING AND SIMULATION IN MATERIALS SCIENCE AND ENGINEERING, 18: 6, 065002, SEP 2010.

173. Fang F., Yang W., Luo X., [101]-Oriented Pb(Mg₁/₃Nb₂/₃)O₃-PbTiO₃ Single Crystals Under Electric Loadings: Polarization Rotation Linking MB, O, and R Phases, *J. Am. Ceram. Soc.*, 93 [11] 3916–3920 (2010).
174. Fang F., Shan S. C., Yang W., A multipeak phenomenon of magnetoelectric coupling in Terfenol-D/P_xVDF-TrFE.../Terfenol-D laminates, *JOURNAL OF APPLIED PHYSICS* 108, 104505, 2010.
175. Zhao C. P., Fang F., Yang W., A dual-peak phenomenon of magnetoelectric coupling in laminated Terfenol-D/PZT/Terfenol-D composites, *Smart Mater. Struct.* 19 (2010) 125004.
176. Fan H.L., Zhou Q., Yang W., et al., An experiment study on the failure mechanisms of woven textile sandwich panels under quasi-static loading, *COMPOSITES PART B-ENGINEERING*, 41: 8, 686-692, DEC 2010.
177. Fan H.L., Zeng T., Fang D.N., et al., Mechanics of advanced fiber reinforced lattice composites, *ACTA MECHANICA SINICA*, 26: 6, 825-835, DEC 2010.
178. Li Z.H., Yang W., Force fluctuation on pulling a ssDNA from a carbon nanotube, *BIOMECHANICS AND MODELING IN MECHANOBILOGY*, 10: 2, 221-227, APR 2011.
179. Fang F., Zhao C.P., Yang W., Thickness effects on magnetoelectric coupling for Metglas/PZT/Metglas laminates, *SCIENCE CHINA-PHYSICS MECHANICS & ASTRONOMY*, 54: 4, 581-585, APR 2011.
180. Cui Y.Q.; Yang W., Electromechanical cracking in ferroelectrics driven by large scale domain switching, *SCIENCE CHINA-PHYSICS MECHANICS & ASTRONOMY*, 54: 5, 957-965, MAY 2011.
181. Fan H.L.; Yang W.; Zhou Q., Experimental research of compressive responses of multi-layered woven textile sandwich panels under quasi-static loading, *COMPOSITES PART B-ENGINEERING*, 42: 5, 1151-1156, JUL 2011.
182. Cui Y.Q.; Yang W.; Zhong Z., Green's function for T-stress of semi-infinite plane crack, *APPLIED MATHEMATICS AND MECHANICS-ENGLISH EDITION*, 32: 8, 973-980, AUG 2011.
183. Wang H.T.; Nie A.M.; Liu J.B.; In situ TEM study on crack propagation in nanoscale Au thin films, *SCRIPTA MATERIALIA*, 65: 5, 377-379, SEP 2011.

184. Liu J.B.; Nie A.M.; Dong C.Z.; Grain boundary structure dependent fracture in nanocrystalline Au films, MATERIALS LETTERS, 65: 17-18, 2769-2771, SEP 2011.
185. Fang F.; Xu Y. T.; Zhu W. P.; A four-state magnetoelectric coupling for embedded piezoelectric/magnetic composites, JOURNAL OF APPLIED PHYSICS, 110: 8, 084109, OCT 15 2011.
186. Lin, C., Wang, H.T., Yang, W., 2011. Wave Propagation and Scattering in Deformed Single-Wall Carbon Nanotubes. Journal of Computational and Theoretical Nanoscience 8, 2019-2024, 2011.
187. Zhu, W.P., Yang, W., 2011. Molecular dynamics study of configuration and stability of vacancy clusters in fcc Ag. Philosophical Magazine 91, 3793-3809, 2011.
188. Nie A.M.; Liu J.B.; Wang P.; et al. Nanofingers pulled from bulk silver, SCRIPTA MATERIALIA, 66: 5, 247-249, MAR 2012 .
189. Fang F.; Xu Y. T.; Yang W. Magnetoelectric coupling of laminated composites under combined thermal and magnetic loadings, JOURNAL OF APPLIED PHYSICS, 111: 2, 023906, JAN 15 2012.
190. Zhu W.P.; Wang H.T.; Yang W., Evolution of graphene nanoribbons under low-voltage electron irradiation, NANOSCALE, 4: 15, 4555-4561, 2012 .
191. Zhu, W.P.; Wang, H.T.; Yang, W., Orientation- and microstructure-dependent deformation in metal nanowires under bending, ACTA MATERIALIA, 60: 20, 7112-7122, DEC 2012.
192. Wang H.T.; Wang Q.X.; Cheng Y.C.; et al, Doping Monolayer Graphene with Single Atom Substitutions, NANO LETTERS, 12: 1, 141-144, JAN 2012.
193. Wang, H.T., Li, K.; Cheng, Y.C; Wang, Q.X. ; Yao, Y.B.; Schwingenschlogl, U.; Zhang, X.X.; Yang, W., Interaction between single gold atom and the graphene edge: A study via aberration-corrected transmission electron microscopy, NANOSCALE, 4: 9, 2920-2925, 2012
194. Wang, H.T.; Li, K.; Yao, Y.B.; Wang, Q.X.; Cheng, Y.C.; Schwingenschlogl, U.; Zhang, X.X.; Yang, W., Unraveling the Atomic Structure of Ultrafine Iron Clusters, SCIENTIFIC REPORTS, 2, 995, DEC 18 2012.
195. Li, T. F.; Qu, S.; Keplinger, C.; Baumgartner, R.; Bauer, S.; Yang, W.; Suo,

- Z.G., P SPIE 8340 ELECTROA, 8340, 2012.
- 196. Li, T.F.; Qu, S.X.; Yang, W., Electromechanical and dynamic analyses of tunable dielectric elastomer resonator, INTERNATIONAL JOURNAL OF SOLIDS AND STRUCTURES, 49: 26, 3754-3761, DEC 15 2012.
 - 197. Li, T.F.; Qu, S.X.; Yang, W.. Energy harvesting of dielectric elastomer generators concerning inhomogeneous fields and viscoelastic deformation, JOURNAL OF APPLIED PHYSICS, 112: 3, 034119, AUG 1 2012.
 - 198. Fang, F.; Xu, Y.T.; Yang, W., Magnetoelectric coupling of laminated composites under combined thermal and magnetic loadings, JOURNAL OF APPLIED PHYSICS, 111: 2, 023906, JAN 15 2012.
 - 199. Wang, H.T.; Feng, Q.; Cheng, Y.C.; Yao, Y.B.; Wang, Q.X.; Li, K.; Schwingenschogl, U.; Zhang, X.X.; Yang, W., Atomic Bonding between Metal and Graphene. JOURNAL OF PHYSICAL CHEMISTRY C, 117: 9, 4632-4638, MAR 7 2013.
 - 200. Dong, C.Z.; Zhu, W.P.; Zhao, S.Y.; et al. Evolution of Pt Clusters on Graphene Induced by Electron Irradiation, JOURNAL OF APPLIED MECHANICS-TRANSACTIONS OF THE ASME, 80: 4, 040904, JUL 2013
 - 201. Wang, H.T., Feng, Q., Cheng, Y.C., Yao, Y.B., Wang, Q.X., Li, K., Schwingenschlogl, U., Zhang, X.X., Yang, W., Atomic Bonding between Metal and Graphene. Journal of Physical Chemistry C 117, 4632-4638, MAR 7 2013.
 - 202. Zhou, H.F.; Qu, S.X.; Yang, W. An atomistic investigation of structural evolution in metallic glass matrix composites, INTERNATIONAL JOURNAL OF PLASTICITY, 44, 147-160, MAY 2013.
 - 203. Fang, F.; Zhou, Y.Y.; Xu, Y.T.; Jing, W.Q.; Yang, W., Magnetoelectric coupling of multiferroic composites under combined magnetic and mechanical loadings, SMART MATERIALS AND STRUCTURES, 22: 7, JUL 2013.
 - 204. Fang, F.; Luo, X.; Yang, W.; Domain Structure Evolution and Polarization Degradation of [101]-Oriented 0.74Pb(Mg_{1/3}Nb_{2/3})O₃-0.26PbTiO₃ Single Crystal underCyclic Electric Loadings, JOURNAL OF THE AMERICAN CERAMIC SOCIETY, 96: 1, 228-233, JAN 2013.
 - 205. Fang, F.; Zhou, Y.Y.; Yang, W. In-situ SEM study of temperature dependent tensile behavior of wrought molybdenum, INTERNATIONAL JOURNAL OF REFRACTORY METALS & HARD MATERIALS, 41, 35-40, NOV 2013.

206. Yang, W. Research Integrity in China, SCIENCE, 342: 6162, 1019-1019, NOV 29 2013.
207. Li, T.F.; Keplinger, C.; Baumgartner, R.; Yang, W., Suo, Z.G., Giant voltage-induced deformation in dielectric elastomers near the verge of snap-through instability, JOURNAL OF THE MECHANICS AND PHYSICS OF SOLIDS, 61: 2, 611-628, FEB 2013.
208. Li, T.F.; Zou, Z.N.; Mao, G.Y.; Qu, S.X.; et al. Electromechanical Bistable Behavior of a Novel Dielectric Elastomer Actuator, JOURNAL OF APPLIED MECHANICS-TRANSACTIONS OF THE ASME, 81: 4, 041019, 10.1115/1.4025530, APR 2014.
209. Zhou, H. F.; Zhong, C.; Cao, Q.P.; et al. Non-localized deformation in metallic alloys with amorphous structure, ACTA MATERIALIA, 68: 15, 32-41, APR 2014
210. Wang, P.; Wang, H.T.; Yang, W., Two-dimensional ferromagnetic iron crystals constrained by graphene edges: a first principles study, RSC ADVANCES, 4: 33, 17008-17014, 2014.
211. Poo, M.M., Wang, L., Yang, W., A new face at Natural Science Foundation of China-An interview with NSFC President Wei Yang. National Science Review 1, 157-160, 2014.
212. Wang, P., Wang, H., Yang, W., Anomalous high adsorption energy of H₂O on fluorinated graphenes: a first principles study. Physical Chemistry Chemical Physics 16, 20464-20470, 2014.
213. Zhou, H.F., Li, X.Y., Qu, S.X., Yang, W., Gao, H.J., A Jogged Dislocation Governed Strengthening Mechanism in Nanotwinned Metals. Nano Letters 14, 5075-5080, 2014.
214. Mao, G.Y., Huang, X.Q., Liu, J.J., Li, T.F., Qu, S.X., Yang, W. Dielectric elastomer peristaltic pump module with finite deformation. Smart Materials and Structures 24, 2015.
215. Zhou, H.F., Li, X.Y., Wang, Y., Liu, Z.S., Yang, W., Gao, H.J., Torsional Detwinning Domino in Nanotwinned One-Dimensional Nanostructures. Nano Letters 15, 6082-6087, 2015.
216. Jing, W. Q.; Fang, F.; Yang, W. Enhanced magnetoelectric coupling for embedded multiferroic composites via planar compressive stress Smart

217. Yang, W., Boost basic research in China. *Nature* 534, 467-469, 2016.
218. Yang, X.X., Li, G.R., Cheng, T.Y., Zhao, Q., Ma, C.X., Xie, T., Li, T.F., Yang, W., Bio-Inspired Fast Actuation by Mechanical Instability of Thermo-responding Hydrogel Structures. *Journal of Applied Mechanics-Transactions of the ASME* 83, 2016.