

Publications of Shigeru Hirano

1. Naito Y, Okazawa H, Honjo I, Hirano S, Takahashi H, et al. Cortical activation with sound stimulation in cochlear implant users demonstrated by Positron Emission Tomography. *Cogn Brain Res* 1995; 2: 207-214.
2. Hirano S, Kojima H, Naito Y, Honjo I, Kamoto Y, et al. Cortical speech processing mechanisms while vocalizing visually presented languages. *Neuroreport* 1996; 8: 363-367.
3. Okazawa H, Naito Y, Yonekura Y, Sadato N, Hirano S, et al. Cochlear implant efficiency in pre- and postlingually deaf subjects. A study with H₂¹⁵O and PET. *Brain* 1996; 119: 1297-1306.
4. Isshiki N, Kojima H, Shoji K, Hirano S. Vocal fold atrophy and its surgical treatment. *Ann Otol Rhinol Laryngol* 1996; 105: 182-188.
5. Kojima H, Hirano S, Shoji K, Omori K, Honjo I. Omohyoid muscle transposition for the treatment of bowed vocal fold. *Ann Otol Rhinol Laryngol* 1996; 105: 536-540.
6. Hirano S, Naito Y, Okazawa H, Kojima H, Honjo I, et al. Cortical activation by monaural speech sound stimulation demonstrated by positron emission tomography. *Exp Brain Res* 1997; 113: 75-80.
7. Hirano S, Kojima H, Naito Y, Honjo I, Kamoto Y, et al. Cortical processing mechanisms for vocalization with auditory verbal feedback. *Neuroreport* 1997; 8: 2379-2382.
8. Kojima H, Hirano S, Shoji K, Naito Y, Honjo I, et al. The role of the temporal coding system in the auditory cortex on speech recognition. *Neuroreport* 1997; 8: 2395-2398.
9. Naito Y, Hirano S, Honjo I, Okazawa H, Ishizu K, et al. Sound-induced activation of auditory cortices in cochlear implant users with post- and prelingual deafness demonstrated by positron emission tomography. *Acta Otolaryngol (Stockh)* 1997; 117: 490-496.
10. Naito Y, Hirano S, Okazawa H, Takahashi H, Ishizu K, et al. Central auditory processing of speech in cochlear implant users demonstrated by positron emission tomography. *Adv Otorhinolaryngol* 1997; 52: 19-23.
11. Shiomi Y, Naito Y, Hirano S, Fujiki N, Honjo I. Cortical activity of a patient with Usher's syndrome using a cochlear implant. *Am J Otolaryngol* 1997; 18: 412-414.
12. Shiomi Y, Nagamine T, Fujiki N, Hirano S, Naito Y, et al. Tinnitus remission by lidocaine demonstrated by auditory-evoked magnetoencephalogram. *Acta*

- Otolaryngol (Stockh) 1997; 117: 31-34.
13. Hirano S, Shoji K, Kojima H, Omori K. Use of hydroxyapatite for reconstruction after surgical removal of intraosseous hemangioma in the zygomatic bone. *Plast Reconstr Surg* 1997; 100: 86-90.
 14. Fujiki N, Naito Y, Nagamine T, Shiomi Y, Hirano S, et al. Influence of unilateral deafness on auditory evoked magnetic field. *Neuroreport* 1998; 9: 3129-3133.
 15. Fujiki N, Naito Y, Hirano S, Kojima H, Kamoto Y, et al. Influence of speech-coding strategy on cortical activity in cochlear implant users: a positron emission tomographic study. *Acta Otolaryngol (Stockh)* 1998; 118: 797-802.
 16. Kojima H, Hirano S, Naito Y, Honjo I. Left hemispheric dominance and the role of verbal motor-related region in language cognition. *Clin Positron Imag* 1998; 1: 223-228.
 17. Hirano S, Shoji K, Kojima H, Omori K. Dopamine-secreting carotid body tumor. *Am J Otolaryngol* 1998; 19: 412-416.
 18. Kojima H, Hirano S, Shoji K, Isshiki N. Anatomic study for posterior medialization thyroplasty. *Ann Otol Rhinol Laryngol* 1999; 108: 373-377.
 19. Hirano S, Kojima H, Shoji K, Kaneko K, Tateya I, et al. Vibratory analysis of the neoglottis after surgical intervention of cricopharyngeal myotomy and implantation of tracheal cartilage. *Arch Otolaryngol* 1999; 125: 1335-1340.
 20. Fujiki N, Naito Y, Hirano S, Kojima H, Shiomi Y, et al. Correlation between rCBF and speech perception in cochlear implant users. *Auris Nasus Larynx* 1999; 26: 229-236.
 21. Naito Y, Tateya I, Fujiki N, Hirano S, et al. Increased cortical activation during hearing of speech in cochlear implant users. *Hearing Res* 2000; 143: 139-146.
 22. Hirano S, Naito Y, Kojima H, et al. Functional differentiation of the auditory association area in prelingually deaf subjects. *Auris Nasus Larynx* 2000; 27: 303-310.
 23. Fujiki N, Naito Y, Hirano S, Kojima H, Shiomi Y, et al. Cortical activity and speech perception performance in cochlear implant users. *Adv Otorhinolaryngol* 2000; 57: 32-35.
 24. Naito Y, Hirano S, Fujiki N, Nishizawa S, Takahashi H, et al. Development and plasticity of the auditory cortex in cochlear implant users: A follow-up study by positron emission tomography. *Adv Otorhinolaryngol* 2000; 57: 55-59.
 25. Fujiki N, Naito Y, Hirano S, Kojima H, Shiomi Y, et al. Brain activities of prelingually and postlingually deafened children using cochlear implants. *Ann Otol Rhinol Laryngol (Suppl)* 2000;185:12-14.

26. Hirano S, Kojima H, Naito Y, Tateya I, Shoji K, et al. Cortical dysfunction of the supplementary motor area in a spasmodic dysphonia patient. *Am J Otolaryngol* 2001; 22: 219-222.
27. Kaneko K, Shoji K, Kojima H, Inoue M, Asato R, Hirano S, et al. Nonlinear digital hearing aid with near-instantaneous amplitude compression. *Eur Arch Otorhinolaryngol* 2001;258:523-528.
28. Nakamura K, Honda M, Hirano S, et al. Modulation of the visual word retrieval system in writing: a functional MRI study on the Japanese orthographies. *J Cogn Neurosci* 2002;14:104-15.
29. Hirano S, Thibeault S, Bless DM, Ford CN, Kanemaru S. Hepatocyte growth factor and its receptor c-met in rat and rabbit vocal folds. *Ann Otol Rhinol Laryngol* 2002;111:661-666.
30. Hirano S, Kojima H, Tateya I, Ito J. Fiberoptic laryngeal surgery for vocal process granuloma. *Ann Otol Rhinol Laryngol* 2002;111:789-793.
31. Hirano S, Bless D, Heisey D, Ford C. Roles of Hepatocyte Growth Factor and Transforming Growth Factor β 1 in Production of Extracellular Matrix by Canine Vocal Fold Fibroblasts. *Laryngoscope* 2003; 113:144-148.
32. Rousseau B, Hirano S, Scheidt TD, Welham NV, Thibeault SL, Chan RW, Bless DM. Characterization of Vocal Fold Scarring in a Canine Model. *Laryngoscope* 2003;113:620-627.
33. Tateya I, Naito Y, Hirano S, Kojima H, Inoue M, Kaneko K, Toyoda H, Ueno M, Ishizu K, Ito J. Inner ear hearing loss modulates ipsilateral temporal lobe activation by monaural speech stimuli. *Neuroreport* 2003;14:763-767.
34. Tateya I, Omori K, Kojima H, Hirano S, Kaneko K, Ito J. Steroid injection for Reinke's edema using fiberoptic laryngeal surgery. *Acta Otolaryngol.* 2003;123:417-420.
35. Hirano S, Bless DM, Rousseau B, Welham N, Scheidt T, Ford CN. Fibronectin and adhesion molecules on canine scarred vocal folds. *Laryngoscope.* 2003;113:966-972.
36. Hirano S, Bless DM, Heisey D, Ford CN. Effect of growth factors on hyaluronan production by canine vocal fold fibroblasts. *Ann Otol Rhinol Laryngol* 2003;112:617-624.
37. Naito Y, Tateya I, Hirano S, Inoue M, Funabiki K, Toyoda H, Ueno M, Ishizu K, Nagahama Y, Fukuyama H, Ito J. Cortical correlates of vestibulo-ocular reflex modulation: a PET study. *Brain* 2003;126:1562-1578.
38. Kanemaru S, Nakamura T, Omori K, Kojima H, Magruffov A, Hiratsuka Y, Hirano

- S, Ito J, Shimizu Y. Regeneration of the vocal fold using autologous mesenchymal stem cells. *Ann Otol Rhinol Laryngol* 2003;112:915-920.
39. Hirano S, Bless DM, Massey RJ, Hartig GK, Ford CN. Morphological and functional changes of human vocal fold fibroblasts with hepatocyte growth factor. *Ann Otol Rhinol Laryngol* 2003;112:1026-1033.
40. Tateya I, Omori K, Kojima H, Hirano S, Kaneko K, Ito J. Steroid injection to vocal nodules using fiberoptic laryngeal surgery under topical anesthesia. *Eur Arch Otorhinolaryngol* 2004;261:489-92.
41. Hirano S, Bless DM, Rousseau B, Welham N, Montequin D, Chan RW, Ford CN. Prevention of Vocal Fold Scarring by Topical Injection of Hepatocyte Growth Factor in Rabbit Model. *Laryngoscope* 2004;114:548-56.
42. Rousseau B, Hirano S, Chan RW, Welham NV, Thibeault SL, Ford CN, Bless DM. Characterization of Chronic Vocal Fold Scarring in a Rabbit Model. *J Voice* 2004;18:116-24.
43. Thibeault SL, Rousseau B, Welham NV, Hirano S, Bless DM. Hyaluronan levels in acute vocal fold scar. *Laryngoscope* 2004;114:760-764.
44. Hirano S, Bless DM, Nagai H, Rousseau B, Welham NV, Montequin D, Ford CN. Growth Factor Therapy for Vocal Fold Scarring in Canine Model. *Ann Otol Rhinol Laryngol* 2004;113:777-85.
45. Hirano S, Bless DM, Muñoz del Río A, Connor NP, Ford CN. Therapeutic Potential of Growth Factors for Aging Voice. *Laryngoscope* 2004;114:2161-2167.
46. Hirano S. Current treatment of vocal fold scarring. *Cur Opinion Otolaryngol Head Neck Surg* 2005;131:143-7.
47. Hirano S, Nagai H, Tateya I, Tateya T, Ford CN, Bless DM. Regeneration of Aged Vocal Folds With Basic Fibroblast Growth Factor in a Rat Model: A Preliminary Report. *Ann Otol Rhinol Laryngol* 2005;114:304-308.
48. Hirano S, Yamashita M, Kitamura M, Takagita S. Photocoagulation of microvascular and hemorrhagic lesions of vocal fold with the KTP laser. *Ann Otol Rhinol Laryngol* 2006;115:253-259.
49. Tateya I, Hirano S, Kojima H, et al. Hyperfractionated radiotherapy for T2 glottic cancer for preservation of the larynx. *Eur Arch Oto-Rhino-Laryngol* 2006; 263(2): 144-148.
50. Yamashita M, Kanemaru S, Hirano S, Magruffov A, Tamaki H, Tamura Y, Kishimoto M, Omori K, Nakamura T, Ito. Tracheal regeneration after partial resection: A tissue engineering approach. *Laryngoscope* 2007;117:497-502.
51. Hirano S, Nagahara K, Moritani S, Kitamura M, Takagita S. Upper Mediastinal

- node dissection for hypopharyngeal and cervical esophageal carcinomas. *Ann Otol Rhinol Laryngol* 2007;116:290-296.
52. Umeda H, Kanemaru S, Yamashita M, Kishimoto M, Tamura Y, Nakamura T, Omori K, Hirano S, Ito J. Bone Regeneration of Canine Skull Using Bone Marrow-Derived Stromal Cells and beta-Tricalcium Phosphate. *Laryngoscope*. 2007;117(6):997-1003.
 53. Honda K, Tanaka S, Tamura Y, Asato R, Hirano S, Ito J. Vocal cord fixation caused by an impacted fish bone in hypopharynx: report of a rare case. *Am J Otolaryngol* 2007;28:257-9.
 54. Ohno T, Hirano S, Kanemaru S, Yamashita M, Umeda H, Suehiro A, Tamura Y, Nakamura T, Ito J, Tabata Y. Drug delivery system of hepatocyte growth factor for the treatment of vocal fold scarring in a canine model. *Ann Otol Rhinol Laryngol* 2007;116:762-769.
 55. Yamashita M, Hirano S, Kanemaru S, Tsuji S, Suehiro A, Ito J. Side Population Cells in the Human Vocal Fold. *Ann Otol Rhinol Laryngol* 2007;116:853-857.
 56. Yamashita M, Kanemaru S, Hirano S, Tamura Y, Umeda H, Ohno T, Suehiro A, Omori K, Nakamura T, Ito J. A regenerative approach for partial tracheal defects, an in vivo canine model. *Inflammation and Regeneration* 2007;27:578-582.
 57. Kim T, Asato R, Akamizu T, Harada D, Nakashima Y, Higashi T, Yamamoto N, Tamura Y, Tamaki H, Hirano S, Tanaka S, Ito J. A rare case of hyperfunctional papillary carcinoma of the thyroid gland. *Acta Otolaryngol* 2007;Suppl 557:55-57.
 58. Nishida A, Tanaka S, Hirano S, Tamura Y, Tamaki H, Asato R, Ito J. Therapeutic outcomes of oral cancers at Kyoto University Hospital. *Acta Otolaryngol* 2007;Suppl 557:58-61.
 59. Tamura Y, Tanaka S, Asato R, Hirano S, Yamashita M, Tamaki H, Ito J. Therapeutic outcomes of laryngeal cancer at Kyoto University Hospital for 10 years. *Acta Otolaryngol* 2007;Suppl 557:62-65.
 60. Hirano S, Yamashita M, Ohno T, Kitamura M, Kanemaru S, Ito J. Phonomicrosurgery for posterior glottic lesions using triangular laryngoscope. *Eur Arch Otorhinolaryngol*. 2008;265:435-440.
 61. Nishida AT, Hirano S, Asato R, Tanaka S, Kitani Y, Honda N, Fujiki N, Miyata K, Fukushima H, Ito J. Multifocal hyperfunctioning thyroid carcinoma without metastases. *Auris Nasus Larynx*. 2008;35(3):432-6.
 62. Ohno T, French LC, Hirano S, Ossoff RH, Rousseau B. Effect of Hepatocyte Growth Factor on Gene Expression of Extracellular Matrix During Wound Healing of the Injured Rat Vocal Fold. *Ann Otol Rhinol Laryngol*. 2008;117(9):696-702.

63. Ohno T, Hirano S, Kanemaru S, Yamashita M, Umeda H, Suehiro A, Nakamura T, Ito J. Expression of Extracellular Matrix Proteins in the Vocal Folds and Bone Marrow Derived Stromal Cells of Rats. *Eur Arch Otorhinolaryngol*. 2008;265:669-674.
64. Hirano S, Kishimoto Y, Suehiro A, Kanemaru K, Ito I. Regeneration of aged vocal fold: First human case treated with fibroblast growth factor. *Laryngoscope* 2008;118:2254-2259.
65. Kishimoto Y, Hirano S, Kato N, Suehiro A, Kanemaru S, Ito J. Endoscopic photocoagulation therapy for adult venous malformation using the KTP laser. *Ann Otol Rhinol Laryngol* 2008;117:881-885.
66. Ohno T, Hirano S, Rousseau B. Extracellular matrix gene expression during wound healing of the injured rat vocal fold. *Otolaryngol Head Neck Surg* 2009;140:757-761.
67. Ohno T, Hirano S, Rousseau B. Gene expression of transforming growth factor-b1 and hepatocyte growth factor during wound healing of injured rat vocal fold. *Laryngoscope* 2009;119:806-810.
68. Suehiro A, Hirano S, Kishimoto Y, Tanaka S, Ford CN. Comparative Study of Vocal Outcomes with Silastic vs Gore-Tex Thyroplasty. *Ann Otol Rhinol Laryngol* 2009;118:405-408.
69. Hirano S, Minamiguchi S, Yamashita M, Ohno T, Kanemaru S, Kitamura M. Histologic characterization of human scarred vocal folds. *J Voice* 2009;23(4):399-407.
70. Ohno T, Yoo MJ, Swanson E, Hirano S, Ossoff R. Regeneration of Aged Rat Vocal Folds using Hepatocyte Growth Factor Therapy. *Laryngoscope* 119;1424-1430,2009.
71. Ohno T, Jin Yoo M, Swanson ER, Hirano S, Ossoff RH, Rousseau B. Regenerative effects of basic growth factor on extracellular matrix production in aged rat vocal folds. *Ann Otol Rhinol Laryngol* 118;559-564,2009.
72. Kishimoto Y, Hirano S, Suehiro A, Tateya I, Kanemaru S, Nakamura T, Ito J. Effect of exogenous hepatocyte growth factor on vocal fold fibroblasts. *Ann Otol Rhinol Laryngol* 2009;118:606-611.
73. Kishimoto Y, Hirano S, Kojima T, Kanemaru S, Ito J. Implant of atelocollagen sheet for the treatment of vocal fold scarring and sulcus vocalis. *Ann Otol Rhinol Laryngol* 2009;118:613-620.
74. Ohno T, Hirano S, Rousseau B. Age-associated changes in the expression and deposition of vocal fold collagen and hyaluronan. *Ann Otol Rhinol Laryngol*

2009;118:735-741.

75. Umeda H, Kanemaru S, Yamashita M, Ohno T, Suehiro A, Tamura Y, Hirano S, Nakamura T, Omori K, Ito J. In situ tissue engineering of canine skull with guided bone regeneration. *Acta Otolaryngol.* 2009;129:1509-1518.
76. Ohno S, Hirano S, Tateya I, Kanemaru S, Umeda H, Suehiro A, Kitani Y, Kishimoto Y, Kojima T, Nakamura T, Ito J. Atelocollagen sponge as a stem cell implantation scaffold for the treatment of scarred vocal fold. *Ann Otol Rhinol Laryngol* 2009;118:805-810.
77. Yamashita M, Kanemaru S, Hirano S, Umeda H, Kitani Y, Omori K, Nakamura T, Ito J. Glottal reconstruction with a tissue engineering technique using polypropylene mesh: A canine experiment. *Ann Otol Rhinol Laryngol* 2010;119:110-117.
78. Kishimoto Y, Hirano S, Kitani Y, Suehiro A, Umeda H, Tateya I, Kanemaru S, Tabata Y, Ito J. Chronic vocal fold scar restoration with hepatocyte growth factor. *Laryngoscope* 2010;120:108-113.
79. Suehiro A, Hirano S, Kishimoto Y, Rousseau B, Nakamura T, Ito J. Treatment of acute vocal fold scar with local injection of basic fibroblast growth factor: A canine study. *Acta Otolaryngol.* 2010 Jul;130(7):844-50.
80. Kishimoto Y, Hirano S, Tateya I, Kanemaru S, Ito J. Temporal changes in vocal functions of human scarred vocal folds after cordectomy. *Laryngoscope.* 2010;120:1597-601.
81. Kishimoto Y, Welham NV, Hirano S. Implantation of atelocollagen sheet for vocal fold scar. *Curr Opin Otolaryngol Head Neck Surg.* 2010. [Epub ahead of print]
82. Suehiro A, Hirano S, Kishimoto Y, Tateya I, Rousseau B, Ito J. Effects of basic fibroblast growth factor on rat vocal fold fibroblasts. *Ann ORL* 2010;119:690-696.
83. Kitamura M, Hirano S, Tateya I, Kada S, Ishikawa S, Kanda T, Tanaka S, Ito J. Management of stage I/II hypopharyngeal cancer. *Acta Otolaryngol* 2010;130(suppl 563):43-49.
84. Hirano S, Tateya I, Kitamura M, Kada S, Ishikawa S, Kanda T, Tanaka S, Ito J. Organ preservation surgery for advanced hypopharyngeal cancer. *Acta Otolaryngol* 2010;130(suppl 563):50-55.
85. Hirano S, Tateya I, Kitamura M, Kada S, Ishikawa S, Kanda T, Tanaka S, Ito J. Ten years single institutional experience of treatment for advanced hypopharyngeal cancer in Kyoto University. *Acta Otolaryngol* 2010;130(suppl 563):56-61.
86. Tateya I, Hirano S, Kitamura M, Kada S, Ishikawa S, Kanda T, Asato R, Tanaka S, Ito J. Management and pitfalls of stage I/II glottic cancer. *Acta Otolaryngol* 2010;130(suppl 563):62-67.

87. Kada S, Hirano S, Tateya I, Kitamura M, Ishikawa S, Kanda T, Asato R, Tanaka S, Ito J. Ten years single institutional experience of treatment for advanced laryngeal cancer in Kyoto University. *Acta Otolaryngol* 2010;130(suppl 563):68-73.
88. Kitamura M, Hirano S, Tateya I, Kada S, Ishikawa S, Kanda T, Asato R, Ito J. Ten years single institutional experience of treatment for oral cancer in Kyoto University. *Acta Otolaryngol* 2010;130(suppl 563):74-78.
89. Kanemaru S, Hirano S, Umeda H, Yamashita M, Suehiro A, Nakamura T, Maetani T, Omori K, Ito J. A tissue-engineering approach for stenosis of the trachea and/or cricoid. *Acta Otolaryngol* 2010;130(suppl 563):79-83.
90. Tateya I, Hirano S, Kishimoto Y, Suehiro A, Kojima T, Ohno S, Ito J. Impacts and limitations of medialization thyroplasty on swallowing function of patients with unilateral vocal fold paralysis. *Acta Otolaryngol* 2010;130(suppl 563):84-87.
91. Kitani Y, Kanemaru S, Umeda H, Suehiro A, Kishimoto Y, Hirano S, Nakamura T, Ito J. Laryngeal regeneration using tissue engineering techniques in a canine model. *Ann Otol Rhinol Laryngol* 2011;120:49-56.
92. Ohno S, Hirano S, Tateya I, Kojima T, Ito J. Management of vocal fold lesions in difficult laryngeal exposure patients in phonomicrosurgery. *Auris Nasus Larynx*. 2011;38:373-80.
93. Ohno S, Hirano S, Kanemaru S, Tateya I, Kitani Y, Kojima T, Nakamura T, Ito J. Prevention of buccal mucosa scarring with transforming growth factor $\beta 3$. *Laryngoscope*. 2011;121(7):1404-1409.
94. Ohno S, Hirano S, Kanemaru S, Kitani Y, Kojima T, Tateya I, Nakamura T, Ito J. Implantation of an atelocollagen sponge with autologous bone marrow derived mesenchymal stromal cells for treatment of vocal fold scarring in a canine model *Ann Otol Rhinol Laryngol* 2011;120:401-408.
95. Kojima T, Kanemaru S, Hirano S, Tateya I, Ohno S, Nakamura T, Ito J. Regeneration of Radiation Damaged Salivary Glands with Adipose-Derived Stromal Cells. *Laryngoscope*. 2011;121:1864-1869.
96. Kojima T, Kanemaru S, Hirano S, Tateya I, Suehiro A, Kitani Y, Kishimoto Y, Ohno S, Nakamura T, Ito J. The Protective Efficacy of Basic Fibroblast Growth Factor in Radiation-induced Salivary Gland Dysfunction in mice. *Laryngoscope*. 2011;121:1870-1875.
97. Ishikawa M, Hirano S, Tsuji T, Ito J. Management of metastasis to the thyroid gland. *Auris Nasus Larynx*. 2011 [Epub ahead of print]
98. Gugatschka M, Kojima T, Ohno S, Kanemaru S, Hirano S. Recruitment patterns of side population cells during wound healing in rat vocal folds. *Laryngoscope*.

2011;121:1662-1667.

99. Kanemaru S, Umeda H, Kitani Y, Nakamura T, Hirano S, Ito J. Regenerative treatment for tympanic membrane perforation. *Otol Neurotol*. 2011 ;32(8):1218-1223.
100. Hirano S, Tateya I, Kishimoto Y, Kanemaru S, Ito J. Clinical trial of regeneration of aged vocal folds with growth factor therapy. *Laryngoscope*. 2012 ;122:327-331.
101. Ohno S, Hirano S, Kanemaru S, Kitani Y, Kojima T, Ishikawa S, Mizuta M, Tateya I, Nakamura T, Ito J. Transforming growth factor β 3 for the prevention of vocal fold scarring. *Laryngoscope*. 2012;122(3):583-589.
102. Eiamprapai P, Yamamoto N, Hiraumi H, Ogino-Nishimura E, Kitamura M, Hirano S, Ito J. Effect of cisplatin on distortion product otoacoustic emissions in Japanese patients. *Laryngoscope*. 2012;122(6):1392-6.
103. Gugatschka M, Ohno S, Saxena A, Hirano S. Regenerative Medicine of the Larynx. Where are we Today? A Review. *J Voice* 2012;26(5):670.e7-13.
104. Ishikawa S, Tateya I, Hayasaka T, Masaki N, Takizawa Y, Ohno S, Kojima T, Kitani Y, Kitamura M, Hirano S, Setou M, Ito J. Increased expression of Phosphatidylcholine (16:0/18:1) and (16:0/18:2) in thyroid Papillary cancer. *PLOS One* 2012;7:e48873.
105. Ohno S, Hirano S, Kanemaru S, Mizuta M, Ishikawa S, Tateya I, Nakamura T, Ito J. Role of circulating MSCs in vocal fold wound healing. *Laryngoscope*. 2012;122(11):2503-2510.
106. Mizuta M, Hirano S, Ohno S, Tateya I, Kanemaru S, Nakamura T, Ito J. Expression of reactive oxygen species during wound healing of vocal folds in a rat model. *Ann Otol Rhinol Laryngol* 2012;121:804-810.
107. Mizuta M, Hirano S, Hiwatashi N, Tateya I, Kanemaru SI, Nakamura T, Ito J. The effect of astaxanthin on vocal fold wound healing. *Laryngoscope* 2014;124:E1-7.
108. Hirano S, Mizuta M, Kaneko M, Tateya I, Kanemaru SI, Ito J. Regenerative phonosurgical treatments for vocal fold scar and sulcus with basic fibroblast growth factor. *Laryngoscope*. 2013;123(11):2749-2755.
109. Kanemaru SI, Kitani Y, Ohno S, Shigemoto T, Kojima T, Ishikawa S, Mizuta M, Hirano S, Nakamura T, Dezawa M. Functional regeneration of laryngeal muscle using bone marrow-derived stromal cells. *Laryngoscope* 2013;123:2728-2734.
110. Mizuta M, Hirano S^{**}, Ohno S, Kanemaru S, Nakamura T, Ito J. Restoration of Scarred Vocal Folds Using 5 Amino Acid-Deleted Type Hepatocyte Growth Factor.

Laryngoscope 2014;124:E81-86.

111. Kanemaru S, Umeda H, Kanai R, Tsuji T, Kuboshima F, Yamamoto M, Hirano S, Nakamura T. Regenerative treatment for soft tissue defects of the external auditory meatus. *Otol Neurotol*. 2014;35(3):442-448.
112. Hama T, Tokumaru Y, Fujii M, Yane K, Okami K, Kato K, Masuda M, Mineta H, Nakashima T, Sugasawa M, Sakihama N, Yoshizaki T, Hanazawa T, Kato H, Hirano S, Imanishi Y, Kuratomi Y, Otsuki N, Ota I, Sugimoto T, Suzuki S. Prevalence of human papillomavirus in oropharyngeal cancer: A multicenter study in Japan. *Oncology* 2014;87:173-182.
113. Graupp M, Kiesler K, Friedrich G, Ainödhofer H, Gruber HJ, Kieslinger P, Saxena A, Hirano S, Gugatschka M. Vocal Fold Fibroblast Response to Growth Factor Treatment is Age Dependent: Results From an In Vitro Study. *J Voice*. 2014;28:420-423.
114. Mizuta M, Hirano S**, Kishimoto Y, Hiwatashi N, Tateya I, Kanemaru S, Nakamura T, Ito J. Pharmacokinetics and safety of human recombinant hepatocyte growth factor administered to vocal folds. *Laryngoscope*. 2014;124:2131-2135.
115. Gugatschka M, Ainodhofer H, Gruber H, Graupp M, Kieslinger P, Kiester K, Saxena A, Hirano S, Friedrich G. Age effects on extracellular matrix production of vocal fold scar fibroblasts in rats. *Eur Arch Otorhinolaryngol* 2014;271:1107-1112.
116. Mizuta M, Hirano S**, Hiwatashi N, Kobayashi T, Tateya I, Kanemaru SI, Nakamura T, Ito J. Effect of astaxanthin on age-associated changes of vocal folds in a rat model. *Laryngoscope*. 2014;124(10):E411-417.
117. Kitamura M, Hirano S, Kanemaru SI, Kitani Y, Ohno S, Kojima T, Nakamura T, Ito J, Rosen CA, Gilbert TW. Glottic regeneration with a tissue-engineering technique, using acellular extracellular matrix scaffold in a canine model. *J Tissue Eng Regen Med*. 2014 Jan 8. doi: 10.1002/term.1855.
118. Hiwatashi N, Hirano S**, Mizuta M, Tateya I, Kanemaru SI, Nakamura T, Ito J. Adipose-derived stem cells versus bone marrow-derived stem cells for vocal fold regeneration. *Laryngoscope*. 2014;124(12):E461-469.
119. Hiwatashi N, Hirano S**, Mizuta M, Tateya I, Kanemaru SI, Nakamura T, Ito J, Kawai K, Suzuki S. Biocompatibility and Efficacy of Collagen/Gelatin Sponge Scaffold With Sustained Release of Basic Fibroblast Growth Factor on Vocal Fold Fibroblasts in 3-Dimensional Culture. *Ann Otol Rhinol Laryngol*. 2015;124(2):116-125.
120. Iizuka Y, Yoshimura M, Inokuchi H, Matsuo Y, Nakamura A, Mizowaki T, Hirano S, Kitamura M, Tateya I, Hiraoka M. Recurrence Patterns after Postoperative

- radiotherapy for Squamous Cell Carcinoma of the Pharynx and Larynx. *Acta Oto-Laryngologica* 2015;135(1):96-102.
121. Tateya I, Omori K, Kojima H, Naito Y, Hirano S, Yamashita M, Ito J. Type II thyroplasty changes cortical activation in patients with spasmodic dysphonia. *Auris Nasus Larynx*. 2015;42(2):139-44.
 122. Tateya I, Morita S, Muto M, Miyamoto S, Hayashi T, Funakoshi M, Aoyama I, Hirano S, Kitamura M, Ishikawa S, Kishimoto Y, Morita M, Mahattanasakul P, Morita S, Ito J. Magnifying endoscope with NBI to predict the depth of invasion in laryngo-pharyngeal cancer. *Laryngoscope*. 2015;125(5):1124-1129.
 123. Tateya I, Ishikawa S, Morita S, Ito H, Sakamoto T, Murayama T, Kishimoto Y, Hayashi T, Funakoshi M, Hirano S, Kitamura M, Morita M, Muto M, Ito J. Magnifying endoscopy with narrow band imaging to determine the extent of resection in transoral robotic surgery of oropharyngeal cancer. *Case Rep Otolaryngol*. 2014;2014:604737. doi: 10.1155/2014/604737. Epub 2014 Dec 10.
 124. Mizuta M, Hiwatashi N, Kobayashi T, Kaneko M, Tateya I, Hirano S**. Comparison of vocal outcomes after angiolytic laser surgery and microflap surgery for vocal polyps. *Auris Nasus Larynx* 2015;42:453-457.
 125. Kaneko M, Hirano S, Tateya I, Kishimoto Y, Hiwatashi N, Fujiu-Kurachi M, Ito J. Multidimensional Analysis on the Effect of Vocal Function Exercises on Aged Vocal Fold Atrophy. *J Voice*. 2015 May 2. pii: S0892-1997(14)00251-3. Doi
 126. Hiwatashi N, Hirano S**, Mizuta M, Kobayashi T, Kawai Y, Kanemaru SI, Nakamura T, Ito J, Kawai K, Suzuki S. The efficacy of a novel collagen-gelatin scaffold with basic fibroblast growth factor for the treatment of vocal fold scar. *J Tissue Eng Regen Med*. 2015 Jun 29. doi: 10.1002/term.2060.
 127. Tateya I, Muto M, Morita S, Miyamoto S, Hayashi T, Funakoshi M, Aoyama I, Higuchi H, Hirano S, Kitamura M, Ishikawa S, Kishimoto Y, Morita M, Ito J. Endoscopic laryngo-pharyngeal surgery for superficial laryngo-pharyngeal cancer. *Surg Endosc*. 2015 Apr 28. [Epub ahead of print]
 128. Hiwatashi N, Hirano S**, Suzuki R, Kawai Y, Mizuta M, Kishimoto Y, Tateya I, Kanemaru S, Nakamura T, Dezawa M, Ito J. Comparison of ASCs and BMSCs combined with atelocollagen for vocal fold scar regeneration. *Laryngoscope* 2015 Sep 25. doi: 10.1002/lary.25667. [Epub ahead of print] PMID:26403510
 129. Ohno T, Hirano S. Treatment of aging vocal folds: novel approaches. *Curr Opin Otolaryngol Head Neck Surg*. 2014 ;22(6):472-6.
 130. Kishimoto Y, Suzuki R, Kawai Y, Hiwatashi N, Kitamura M, Tateya I, Hirano S. Photocoagulation therapy for laryngeal dysplasia using angiolytic lasers. *Eur*

- Arch Otorhinolaryngol. 2016;273(5):1221-5.
131. Kawai Y, Kishimoto Y, Suzuki R, Tsuji T, Hiwatashi N, Tateya I, Yamamoto N, Nakamura T, Kanemaru SI, Hirano S. Distribution and characteristics of slow-cycling cells in rat vocal folds. *Laryngoscope*. 2016 Feb 4. doi: 10.1002/lary.25558. [Epub ahead of print]
 132. Tateya I, Morita S, Ishikawa S, Muto M, Hirano S, Kishimoto Y, Hiwatashi N, Ito J. Voice Outcome in Patients Treated With Endoscopic Laryngopharyngeal Surgery for Superficial Hypopharyngeal Cancer. *Clin Exp Otorhinolaryngol*. 2016 Mar;9(1):70-4. doi: 10.21053/ceo.2016.9.1.70. Epub 2016 Mar 7
 133. Suzuki R, Kawai Y, Tsuji T, Hiwatashi N, Kishimoto Y, Tateya I, Nakamura T, Hirano S. Prevention of vocal fold scarring by local application of basic fibroblast growth factor in a rat vocal fold injury model. *Laryngoscope*. 2016 Jul 14. doi: 10.1002/lary.26138. [Epub ahead of print]
 134. Kobayashi T, Mizuta M, Hiwatashi N, Kishimoto Y, Nakamura T, Kanemaru SI, Hirano S. Drug delivery system of basic fibroblast growth factor using gelatin hydrogel for restoration of acute vocal fold scar. *Auris Nasus Larynx*. 2016 Apr 25. pii: S0385-8146(16)30114-6. doi: 10.1016/j.anl.2016.04.005. [Epub ahead of print]
 135. Ohno S, Hirano S, Yasumoto A, Ikeda H, Takebayashi S, Miura M. Outcome of regenerative therapy for age-related vocal fold atrophy with basic fibroblast growth factor. *Laryngoscope*. 2016 Aug;126(8):1844-8. doi: 10.1002/lary.25578. Epub 2016 Apr 14.
 136. Fishman JM, Long J, Gugatschka M, De Coppi P, Hirano S, Hertegard S, Thibeault SL, Birchall MA. Stem cell approaches for vocal fold regeneration. *Laryngoscope*. 2016 Aug;126(8):1865-70. doi: 10.1002/lary.25820. Epub 2016 Jan 17.
 137. Kaneko M, Shiromoto O, Fujiu-Kurachi M, Kishimoto Y, Tateya I, Hirano S. Optimal Duration for Voice Rest After Vocal Fold Surgery: Randomized Controlled Clinical Study. *J Voice*. 2016 Aug 1. [Epub ahead of print]
 138. Kaneko M, Kishimoto Y, Suzuki R, Kawai Y, Tateya I, Hirano S. Protective Effect of Astaxanthin on Vocal Fold Injury and Inflammation Due to Vocal Loading: A Clinical Trial. *J Voice*. 2016 Jul 29. pii: S0892-1997(16)30180-1. doi: 10.1016/j.jvoice.2016.06.017. [Epub ahead of print]
 139. Hirano S, Kaneko M, Kishimoto Y. Regenerative Effects of Local Injection of Basic Fibroblast Growth Factor into the Vocal Fold Atrophy and Scarring: Results of 60 Cases. *Ann Clin Otolaryngol* 2017 Epub
 140. Hirano S. Protection of the vocal fold by astaxanthin. *Carotenoid Science*

2016;21:16-19.

141. Kitamura M, Hayashi T, Suzuki C, Hirano S, Tateya I, Kishimoto Y, Omori K. Successful recovery from a subclavicular ulcer caused by lenvatinib for thyroid cancer: a case report. *World J Surg Oncol*. 2017 Jan 14;15(1):24. doi: 10.1186/s12957-017-1096-5.
142. Yokota T, Ogawa T, Takahashi S, Okami K, Fujii T, Tanaka K, Iwae S, Ota I, Ueda T, Monden N, Matsuura K, Kojima H, Ueda S, Sasaki K, Fujimoto Y, Hasegawa Y, Beppu T, Nishimori H, Hirano S, Naka Y, Matsushima Y, Fujii M, Tahara M. Efficacy and safety of rebamipide liquid for chemoradiotherapy-induced oral mucositis in patients with head and neck cancer: a multicenter, randomized, double-blind, placebo-controlled, parallel-group phase II study. *BMC Cancer*. 2017 May 5;17(1):314. doi: 10.1186/s12885-017-3295-4.
143. Morita D, Numajiri T, Nakamura H, Tsujiko S, Sowa Y, Yasuda M, Hirano S. Intraoperative change in defect size during maxillary reconstruction using surgical guides created by CAD/CAM. *Prast Reconstr Surg Global Open* 2017:1-4.
144. Kaneko M, Hirano S. Voice rest after laryngeal surgery: what's the evidence? *Curr Opin Otolaryngol Head Neck Surg*. 2017 Aug 28. doi: 10.1097/MOO.0000000000000407. [Epub ahead of print]
145. Morita D, Numajiri T, Nakamura H, Tsujiko S, Sowa Y, Yasuda M, Hirano S. Intraoperative Change in Defect Size during Maxillary Reconstruction Using Surgical Guides Created by CAD/CAM. *Plast Reconstr Surg Glob Open*. 2017 Apr 20;5(4):e1309. doi: 10.1097/GOX.0000000000001309. eCollection 2017 Apr.
146. Numajiri T, Morita D, Tsujiko S, Nakamura H, Sowa Y, Arai A, Masahiro M, Nakano H, Hirano S. Dual Vascular Free Anterolateral Thigh Flap. *Plast Reconstr Surg Glob Open*. 2017 Aug 24;5(8):e1448. doi: 10.1097/GOX.0000000000001448. eCollection 2017 Aug.
147. Morisaki T, Kishimoto Y, Tateya I, Kawai Y, Suzuki R, Tsuji T, Hiwatashi N, Nakamura T, Omori K, Kitano H, Takeuchi H, Hirano S. Adipose-derived mesenchymal stromal cells prevented rat vocal fold scarring. *Laryngoscope*. 2017 Sep 20. doi: 10.1002/lary.26855. [Epub ahead of print]
148. Hasegawa T, Oe H, Taki M, Sakaguchi H, Hirano S, Wada Y. End-tidal CO₂ relates to seasickness susceptibility: A study in Antarctic voyages. *Auris Nasus Larynx*. 2017 Oct;44(5):534-539.
149. Hirano S, Kawamoto A, Tateya I, Mizuta M, Kishimoto Y, Hiwatashi N, Kawai Y, Tsuji T, Suzuki R, Kaneko M, Naito Y, Kagimura T, Nakamura T, Kanemaru SI. A Phase I/II exploratory clinical trial for intracordal injection of recombinant

- hepatocyte growth factor for vocal fold scar and sulcus. *J Tissue Eng Regen Med*. 2018;12(4):1031-1038.
150. Kaneko M, Tsuji T, Kishimoto Y, Sugiyama Y, Nakamura T, Hirano S. Regenerative Effects of Basic Fibroblast Growth Factor on Restoration of Thyroarytenoid Muscle Atrophy Caused by Recurrent Laryngeal Nerve Transection. *J Voice*. 2017 Oct 27. pii: S0892-1997(17)30311-9. doi: 10.1016/j.jvoice.2017.09.019. [Epub ahead of print]
 151. Yamazaki H, Suzuki G, Nakamura S, Hirano S, Yoshida K, Konishi K, Teshima T, Ogawa K. Radiotherapy for locally advanced resectable T3-T4 laryngeal cancer- does laryngeal preservation strategy compromise survival? *J Radiat Res*. 2017 Nov 28;1-14. doi: 10.1093/jrr/rrx063. [Epub ahead of print]
 152. Hirano S. Microflap technique for vocal fold lesions. *Orissa JOHN* 2017;11:51-55.
 153. Okada S, Itoh K, Ishihara S, Shimada J, Kato D, Tsunozuka H, Miyata N, Hirano S, Teramukai S, Inoue M. Significance of PD-L1 expression in pulmonary metastases from head and neck squamous cell carcinoma. *Surgical Oncol* 2018;27:259-265.
 154. Taki M, Nakamura T, Matsuura H, Hasegawa T, Sakaguchi H, Morita K, Ishii R, Mizuta I, Kasai T, Mizuno T, Hirano S. Cerebellar ataxia with neuropathy and vestibular areflexia syndrome (CANVAS). *Auris Nasus Larynx* 2018;45:866-870.
 155. Numajiri T, Morita D, Nakamura H, Tsujiko S, Yamochi R, Sowa Y, Toyoda K, Tsujikawa T, Arai A, Yasuda M, Hirano S. Using an In-House Approach to Computer-Assisted Design and Computer-Aided Manufacturing Reconstruction of the Maxilla. *J Oral Maxillofac Surg*. 2018;76(6):1361-1369.
 156. Umezaki T, Sugiyama Y, Fuse S, Mukudai S, Hirano S. Supportive effect of interferential current stimulation on susceptibility of swallowing in guinea pigs. *Exp Brain Res*. 2018;236(10):2661-2676.
 157. Onishi T, Honda A, Tanaka M, Chowdhury PH, Okano H, Okuda T, Shishido D, Terui Y, Hasegawa S, Kameda T, Tohno S, Hayashi M, Nishita-Hara C, Hara K, Inoue K, Yasuda M, Hirano S, Takano H. Ambient fine and coarse particles in Japan affect nasal and bronchial epithelial cells differently and elicit varying immune response. *Environ Pollut*. 2018 Jul 27. pii: S0269-7491(18)31005-4. doi: 10.1016/j.envpol.2018.07.103. [Epub ahead of print]
 158. Hashimoto K, Sugiyama Y, Fuse S, Umezaki T, Oku Y, Dutschmann M, Hirano S. Activity of swallowing-related neurons in the medulla in the perfused brainstem preparation in rats. *Laryngoscope*. 2019;129(2):E72-E79

159. Kaneko M, Hitomi T, Takekawa T, Tsuji T, Kishimoto Y, Hirano S. Effects of Voice Therapy on Laryngeal Motor Units During Phonation in Chronic Superior Laryngeal Nerve Paresis Dysphonia. *J Voice*. 2018;32(6):729-733.
160. Inui TA, Yasuda M, Hirano S, Ikeuchi Y, Kogiso H, Inui T, Marunaka Y, Nakahari T. Daidzein-Stimulated Increase in the Ciliary Beating Amplitude via an [Cl⁻]_i Decrease in Ciliated Human Nasal Epithelial Cells. *Int J Mol Sci*. 2018 Nov 26;19(12). pii: E3754. doi: 10.3390/ijms19123754.
161. Kuremoto T, Kogiso H, Yasuda M, Inui TA, Murakami K, Hirano S, Ikeuchi Y, Hosogi S, Inui T, Marunaka Y, Nakahari T. Spontaneous oscillation of the ciliary beat frequency regulated by release of Ca²⁺ from intracellular stores in mouse nasal epithelia. *Biochem Biophys Res Commun*. 2018 Dec 9;507(1-4):211-216.
162. Kawai Y, Kishimoto Y, Sogami T, Suzuki R, Tsuji T, Hiwatashi N, Tateya I, Kanemaru SI, Nakamura T, Omori K, Hirano S. Characterization of aged rat vocal fold fibroblasts. *Laryngoscope*. 2018 Nov 19. doi: 10.1002/lary.27464. [Epub ahead of print]
163. Sakaida T, Ishikawa T, Uchino J, Chihara Y, Komori S, Asai J, Narukawa T, Arai A, Kobayashi T, Tsunezuka H, Kosuga T, Konishi H, Hongo F, Inoue M, Hirano S, Ukimura O, Itoh Y, taguchi T, Takayama K. Clinical features of immune-related thyroid dysfunction and its association with outcomes in patients with advanced malignancies treated by PD-1 blockade. *Oncol Letters* 2019;18:2140-2147.
164. Inui TA, Murakami K, Yasuda M, Hirano S, Ikeuchi Y, Kogiso H, Hosogi S, Inui T, Marunaka Y, Nakahari T. Ciliary beating amplitude controlled by intracellular Cl⁻ and a high rate of CO₂ production in ciliated human nasal epithelial cells. *Pflugers Arch*. 2019;471(8):1127-1142.
165. Takenaka M, Arai A, Yoshizawa K, Yoshimura K, Mitsuda J, Saburi S, Tsujikawa T, Sugiyama Y, Hirano S. Combination of paclitaxel, carboplatin, and cetuximab induction chemotherapy for advanced head and neck squamous cell carcinoma. *Clinics in Oncology*, 2019 Epub, open access.
166. Kaneko M, Sugiyama Y, Mukudai S, Hirano S. Effect of voice therapy using semiocluded vocal tract exercises in singers and nonsingers with dysphonia. *J Voice E-pub*, 2019
167. Sakakida T, Ishikawa T, Chihara Y, Harita S, Uchino J, Tabuchi Y, Komori S, Asai J, Narukawa T, Arai A, Tsunezuka H, Kosuga T, Konishi H, Moriguchi M, Yasuda H, Hongo F, Inoue M, Hirano S, Ukimura O, Itoh Y, Taguchi T, Takayama K. Safety and efficacy of PD-1/PD-L1 blockade in patients with preexisting

- antinuclear antibodies. *Clin Transl Oncol*. 2019 Oct 1. doi: 10.1007/s12094-019-02214-8. [Epub ahead of print]
168. Tsujikawa T, Mitsuda J, Ogi H, Miyagawa-Hayashino A, Konishi E, Itoh K, Hirano S. Prognostic significance of spatial immune profiles in human solid cancers. *Cancer Sci* 2020 E-pub
 169. Fuse S, Sugiyama Y, Hashimoto K, Umezaki T, Oku Y, Dutschmann M, Hirano S. Laryngeal afferent modulation of swallowing interneurons in the dorsal medulla in perfused rats. *Laryngoscope*. 2020;130(8):1885-1893.
 170. Fuse S, Sugiyama Y, Dhingra RR, Hirano S, Dutschmann M, Oku Y. Effects of pharmacological lesion of the nucleus retroambiguus region on the pharyngeal phase of swallowing. *Respir Physiol Neurobiol*. 2019;268:103244. doi: 10.1016/j.resp.2019.06.001. Epub 2019 Jun 18.
 171. Onishi T, Yasuda M, Koida A, Inui TA, Okamoto S, Hirano S. A Case of Primary Systemic Amyloidosis Involving the Sinonasal Tract. *Ear Nose Throat J*. 2020 May 4;145561320922719. doi: 10.1177/0145561320922719. Online ahead of print.
 172. Yasuda M, Inui TA, Hirano S, Asano S, Okazaki T, Inui T, Marunaka Y, Nakahari T. Intracellular Cl⁻ Regulation of Ciliary Beating in Ciliated Human Nasal Epithelial Cells: Frequency and Distance of Ciliary Beating Observed by High-Speed Video Microscopy. *Int J Mol Sci*. 2020 Jun 5;21(11):4052. doi: 10.3390/ijms21114052.
 173. Inui TA, Yasuda M, Hirano S, Ikeuchi Y, Kogiso H, Inui T, Marunaka Y, Nakahari T. Enhancement of ciliary beat amplitude by carbocysteine in ciliated human nasal epithelial cells. *Laryngoscope*. 2020;130(5):E289-E297.
 174. Suzuki G, Yamazaki H, Aibe N, Masui K, Shimizu D, Kimoto T, Nishimura T, Kawabata K, Nagasawa S, Machida K, Yoshino Y, Watanabe S, Sugiyama Y, Arai A, Hirano S, Yamada K. Comparison of Three Fractionation Schedules in Radiotherapy for Early Glottic Squamous Cell Carcinoma. *In Vivo*. 2020;34(5):2769-2774.
 175. Ozawa S, Mukudai S, Sugiyama Y, Branski RC, Hirano S. Mechanisms Underlying the Antifibrotic Potential of Estradiol for Vocal Fold Fibrosis. *Laryngoscope*. 2020 Dec 30. doi: 10.1002/lary.29355. Online ahead of print.
 176. Kinoshita S, Sugiyama Y, Hashimoto K, Fuse S, Mukudai S, Umezaki T, Dutschmann M, Hirano S. Influences of GABAergic Inhibition in the Dorsal Medulla on Contralateral Swallowing Neurons in Rats. *Laryngoscope*. 2020 Nov 4. doi: 10.1002/lary.29242. Online ahead of print.
 177. Kaneko M, Sugiyama Y, Mukudai S, Hirano S. Effect of Voice Therapy Using

Semioccluded Vocal Tract Exercises in Singers and Nonsingers With Dysphonia. *J Voice*. 2020 Nov;34(6):963.e1-963

178. Kaneko M, Sugiyama Y, Mukudai S, Hirano S. Effects of Voice Therapy for Dysphonia due to Tension Imbalance in Unilateral Vocal Fold Paralysis and Paresis. *J Voice*. 2020 Aug 17:S0892-1997(20)30274-5. doi: 10.1016/j.jvoice.2020.07.026. Online ahead of print.
179. Araki K, Tomifuji M, Shiotani A, Hirano S, Yokoyama J, Tsukahara K, Homma A, Yoshimoto S, Hasegawa Y. Minimally invasive surgery for laryngopharyngeal cancer: Multicenter feasibility study of a combination strategy involving transoral surgery and real-time indocyanine green fluorescence-navigated sentinel node navigation surgery. *Head Neck*. 2020;42(2):254-261.
180. Hirano S, Sugiyama Y, Kaneko M, Mukudai S, Fuse S, Hashimoto K. Intracordal Injection of Basic Fibroblast Growth Factor in 100 Cases of Vocal Fold Atrophy and Scar. *Laryngoscope*. 2020 Oct 27. doi: 10.1002/lary.29200. Online ahead of print.
181. Yokokawa T, Ariizumi Y, Hiramatsu M, Kato Y, Endo K, Obata K, Kawashima K, Sakata T, Hirano S, Kanashima T, Sekine T, Kiyuna A, Uemura S, Okubo K, Sugimoto T, Tateya I, Fujimoto Y, Horii A, Kimura Y, Hyodo M, Homma A. Management of tracheostomy in COVID-19 patients: The Japanese Experience. *Auris Nasus Larynx* 2021 E-pub
182. Hasegawa Y, Tsukahara K, Yoshimoto S, Miura K, Yokoyama J, Hirano S, Umemura H, Sugawara M, Yoshizaki T, Homma A, Chikamatsu K, Suzuki M, Shiotani A, Matsuzaka T, Kohno N, Miyazaki M, Oze I, Matsuo K, Kosuda S, Yatabe Y. Neck dissections based on sentinel lymph node navigation versus elective neck dissections in early oral cancers: A randomized multicenter and noninferiority trial. *JCO* 2021 Epub, <https://doi.org/10.1200/JCO.20.03637>
183. Shiga K, Nibu KI, Fujimoto Y, Asakage T, Homma A, Mitani H, Ogawa T, Okami K, Murono S, Hirano S, Ueda T, Hanai N, Tsukahara K, Ota I, Yoshimoto S, Shinozaki T, Iwae S, Katagiri K, Saito D, Kiyota N, Tahara M, Takahashi F, Hayashi R. Multi-institutional Survey of Squamous Cell Carcinoma of the External Auditory Canal in Japan. *Laryngoscope*. 2021;131(3):E870-E874.
184. Shiga K, Nibu KI, Fujimoto Y, Asakage T, Homma A, Mitani H, Ogawa T, Okami K, Murono S, Hirano S, Ueda T, Hanai N, Tsukahara K, Ota I, Yoshimoto S, Shinozaki T, Iwae S, Katagiri K, Saito D, Kiyota N, Tahara M, Takahashi F, Hayashi R. Sites of invasion of cancer of the external auditory canal predicting oncologic outcomes. *Head Neck*. 2021 Jul 9. doi: 10.1002/hed.26800. Online ahead of print.

185. Mitsuda J, Tsujikawa T, Yoshimura K, Saburi S, Suetsugu M, Kitamoto K, Takenaka M, Ohmura G, Arai A, Ogi H, Itoh K, Hirano S. A 14-marker multiplexed imaging panel for prognostic biomarkers and tumor heterogeneity in head and neck squamous cell carcinoma. *Frontiers in Oncol*, 2021 open access.
186. Mori D, Tsujikawa T, Sugiyama Y, Kotani SI, Fuse S, Ohmura G, Arai A, Kawaguchi T, Hirano S, Mazda O, Kishida T. Extracellular acidity in tumor tissue upregulates PD-L1 expression on tumor cells via proton-sensing G protein-coupled receptors. *Int J Cancer*. 2021 Aug 30. doi: 10.1002/ijc.33786. Online ahead of print.
187. Hashimoto K, Kaneko M, Kinoshita S, Ozawa S, Mukudai S, Sugiyama Y, Hirano S. Effects of Repeated Intracordal Glucocorticoid Injection on the Histology and Gene Expression of Rat Vocal Folds. *J Voice*. 2021 Jul 17:S0892-1997(21)00199-5. doi: 10.1016/j.jvoice.2021.06.013. Online ahead of print.
188. Mohri H, Ninoyu Y, Sakaguchi H, Hirano S, Saito N, Ueyama T. Nox3-Derived Superoxide in Cochleae Induces Sensorineural Hearing Loss. *J Neurosci*. 2021 May 26;41(21):4716-4731. doi: 10.1523/JNEUROSCI.2672-20.2021. Epub 2021 Apr 13.
189. Koida A, Yasuda K, Adachi T, Matsushita K, Yasuda M, Hirano S, Kuroda E. Thymic stromal lymphopoietin contributes to protection of mice from *Strongyloides venezuelensis* infection by CD4⁺ T cell-dependent and -independent pathways. *Biochem Biophys Res Commun*. 2021 May 28;555:168-174. doi: 10.1016/j.bbrc.2021.03.128. Epub 2021 Apr 2.
190. Taki M, Hasegawa T, Ninoyu Y, Hirano S. Efficacy of Yokukansan, a traditional Japanese herbal medicine, in patients with dizziness and irritability. *Auris Nasus Larynx*. 2021 Oct;48(5):864-869. doi: 10.1016/j.anl.2021.01.017. Epub 2021 Jan 30.
191. Yoshimura K, Tsujikawa T, Mitsuda J, Ogi H, Saburi S, Ohmura G, Arai A, Shibata S, Thibault G, Chang YH, Clayburgh DR, Yasukawa S, Miyagawa-Hayashino A, Konishi E, Itoh K, Coussens LM and Hirano S (2021) Spatial Profiles of Intratumoral PD-1⁺ Helper T Cells Predict Prognosis in Head and Neck Squamous Cell Carcinoma. *Front. Immunol*. 12:769534. doi: 10.3389/fimmu.2021.769534
192. Saburi S, Tsujikawa T, Miyagawa-Hayashino A, Mitsuda J, Yoshimura K, Kimura A, Morimoto H, Ohmura G, Arai A, Ogi H, Konishi E, Itoh K, Sugino K, Hirano S. Spatially resolved immune microenvironmental profiling for follicular thyroid carcinoma with minimal capsular invasion. *Mod Pathol*. 2021 Dec 24. doi: 10.1038/s41379-021-00993-6. Online ahead of print.
193. Ogawa M, Mukudai S, Sugiyama Y, Matsushita H, Kinoshita S, Ozawa S,

- Hashimoto K, Fuse S, Kaneko M, Nakanishi Y, Yoshizaki T, Sotozono C, Hirano S. The Effects of Amniotic Membrane Transplantation on Vocal Fold Regeneration. *Laryngoscope*. 2022 Oct;132(10):2017-2025. doi: 10.1002/lary.29997. Epub 2021 Dec 24.
194. Ozawa S, Mukudai S, Kaneko M, Kinoshita S, Hashimoto K, Sugiyama Y, Hashimoto S, Akaki J, Hirano S. Anti-inflammatory and Antioxidant Effects of Japanese Herbal Medicine Kyoseihatekigan on Vocal Fold Wound Healing. *J Voice*. 2021 Nov 23:S0892-1997(21)00343-X. doi: 10.1016/j.jvoice.2021.10.003. Online ahead of print.
 195. Yamamoto R, Sugiyama Y, Hashimoto K, Kinoshita S, Takemura A, Fuse S, Kaneko M, Mukudai S, Umezaki T, Dutschmann M, Nakagawa T, Hirano S. Firing characteristics of swallowing interneurons in the dorsal medulla during physiologically induced swallowing in perfused brainstem preparation in rats. *Neurosci Res*. 2021 Nov 19:S0168-0102(21)00240-6. doi: 10.1016/j.neures.2021.11.006. Online ahead of print.
 196. Kaneko M, Sugiyama Y, Fuse S, Mukudai S, Hirano S. Physiological Effects of Voice Therapy for Aged Vocal Fold Atrophy Revealed by EMG Study. *J Voice*. 2021 Oct 11:S0892-1997(21)00303-9. doi: 10.1016/j.jvoice.2021.09.006. Online ahead of print.
 197. Taki M, Hasegawa T, Ninoyu Y, Mohri H, Hirano S. Low-Frequency Sensorineural Hearing Loss Associated With Iron-Deficiency Anemia. *J Int Adv Otol*. 2021 Sep;17(5):465-467. doi: 10.5152/iao.2021.9369.
 198. Ishii H, Tsujikawa T, Oishi N, Kinouchi A, Sakamoto K, Mitsuda J, Ogi H, Itoh K, Kondo T, Hirano S, Sakurai D. Genomic and immune microenvironment profiling in a case of metastatic intrathyroid thymic carcinoma. *Clin Case Rep*. 2022 Jul 18;10(7):e6050. doi: 10.1002/ccr3.6050. eCollection 2022 Jul.
 199. Numajiri T, Morita D, Arai A, Tsujikawa T, Hirano S. Can 4K-3D Video Monitor-based Surgery Replace Microscope Use in Free Flap Transfer? *Plast Reconstr Surg Glob Open*. 2022 Jan 10;10(1):e4017. doi: 10.1097/GOX.0000000000004017. eCollection 2022 Jan.
 200. Matsushita H, Mukudai S, Ozawa S, Kinoshita S, Hashimoto K, Kaneko M, Sugiyama Y, Branski RC, Hirano S. Tamoxifen Alters TGF- β 1/Smad Signaling in Vocal Fold Injury. *Laryngoscope*. 2022 Oct 17. doi: 10.1002/lary.30448. Online ahead of print.
 201. Takemura A, Sugiyama Y, Yamamoto R, Kinoshita S, Kaneko M, Fuse S,

- Hashimoto K, Mukudai S, Umezaki T, Dutschmann M, Hirano S. Effect of pharmacological inhibition of the pontine respiratory group on swallowing interneurons in the dorsal medulla oblongata. *Brain Res.* 2022 Sep 29;1797:148101. doi: 10.1016/j.brainres.2022.148101. Online ahead of print.
202. Bedeir MM, Ninoyu Y, Nakamura T, Tsujikawa T, Hirano S. Multiplex immunohistochemistry reveals cochlear macrophage heterogeneity and local auditory nerve inflammation in cisplatin-induced hearing loss. *Front Neurol.* 2022 Oct 20;13:1015014. doi: 10.3389/fneur.2022.1015014. eCollection 2022.
 203. Matsushita H, Mukudai S, Hashimoto K, Kaneko M, Sugiyama Y, Hirano S. Histological Assessment of The Regenerative Potential of Platelet-Rich Plasma for Severe Vocal Fold Scar in A Rat Model. *Glob J Oto,* 2023; 26 (1): 556180. DOI: 10.19080/GJO.2022.26.556180
 204. Inoue Y, Fujino T, Chinen S, Niiyama-Uchibori Y, Ide D, Kawata M, Hashimoto K, Takimoto-Shimomura T, Nakayama A, Tsukamoto T, Mizutani S, Shimura Y, Hirano S, Kuroda J. Cervical Local Cytokine Release Syndrome Following Chimeric Antigen Receptor T-cell Therapy in Patients With Relapsed or Refractory Diffuse Large B-cell Lymphoma. *Cureus.* 2023 May 11;15(5):e38905. doi: 10.7759/cureus.38905. eCollection 2023 May.
 205. Kaneko M, Sugiyama Y, Fuse S, Mukudai S, Hirano S. Complementary Effect of Transcutaneous Cervical Stimulation by Interferential Current on Functional Dysphonia. *J Voice.* 2023 Jan 16:S0892-1997(22)00424-6. doi: 10.1016/j.jvoice.2022.12.023. Online ahead of print.
 206. Saito D, Suzuki C, Tanaka S, Hosogi S, Kawaguchi K, Asano S, Okamoto S, Yasuda M, Hirano S, Inui T, Marunaka Y, Nakahari T. Ambroxol-enhanced ciliary beating via voltage-gated Ca²⁺ channels in mouse airway ciliated cells. *Eur J Pharmacol.* 2023 Feb 15;941:175496. doi: 10.1016/j.ejphar.2023.175496. Epub 2023 Jan 12.
 207. Hayakawa M, Taylor JN, Nakao R, Mochizuki K, Sawai Y, Hashimoto K, Tabata K, Kumamoto Y, Fujita K, Konishi E, Hirano S, Tanaka H, Komatsuzaki T, Harada Y. Lipid droplet accumulation and adipophilin expression in follicular thyroid carcinoma. *Biochem Biophys Res Commun.* 2023 Jan 15;640:192-201. doi: 10.1016/j.bbrc.2022.12.007. Epub 2022
 208. Hirano, S.; Inufusa, H, You, F. The Effect of Oxidative Stress on the Human Voice. *Int. J. Mol. Sci.* 2024, 25, 2604. <https://doi.org/10.3390/ijms25052604>
 209. Hara M, Saburi S, Uehara N, Tsujikawa T, Kubo M, Furukawa T, Teshima M, Shinomiya H, Hirano S, Nibu KI. Induction of Immunological Antitumor Effects by

- the Combination of Adenovirus-Mediated Gene Transfer of B7-1 and Anti-Programmed Cell Death-1 Antibody in a Murine Squamous Cell Carcinoma Model. *Cancers (Basel)*. 2024 Mar 30;16(7):1359. doi: 10.3390/cancers16071359.
210. Morimoto H, Tsujikawa T, Miyagawa-Hayashino A, Kimura A, Saburi S, Murakami N, Kitamoto K, Mukudai S, Nagao H, Saya S, Ogi H, Konishi E, Itoh K, Hirano S. Neutrophil-to-lymphocyte ratio associates with nutritional parameters, intratumoral immune profiles, and clinical outcomes of pembrolizumab in head and neck squamous cell carcinoma. *Head Neck*. 2024 Feb 12. doi: 10.1002/hed.27671. Online ahead of print.
 211. Kaneko M, Sugiyama Y, Munekawa R, Kinoshita S, Mukudai S, Umezaki T, Dutschmann M, Hirano S. Sustained Effects of Capsaicin Infusion into the Oropharynx on Swallowing in Perfused Rats. *Laryngoscope*. 2024 Jan;134(1):305-314. doi: 10.1002/lary.30918. Epub 2023 Jul 28.
 212. Kimura A, Yasuda M, Okamoto S, Tsujikawa T, Hirano S. Angiosarcoma arising from nasal cavity; A case report. *Acta Oto Laryngologica Case Reports* 2024;9(1):41-46.
 213. Kimura A, Tsujikawa T, Morimoto H, Saburi S, Mitsuda J, Mukudai S, Nagao H, Saya S, Ogi H, Miyagawa-Hayashino A, Konishi E, Itoh K, Hirano S. Rapid multiplex immunohistochemistry for characterizing tumor-immune microenvironment. *Heliyon* 10(13): e33830. 2024. 7.
 214. Tsujikawa T, Ohno K, Morita K, Saburi S, Mitsuda J, Yoshimura K, Kimura A, Morimoto H, Ogi H, Shibata S, Akashi T, Kurata M, Imoto I, Shimizu Y, Kano S, Watanabe A, Asada Y, Yamazaki T, Hayashi R, Saito Y, Ozawa H, Tsukahara K, Oridate N, Sano D, Horii A, Ueki Y, Maruo T, Mukoyama N, Hanai N, Fukusumi T, Iwai H, Fujisawa T, Fujii T, Nibu K, Iwae S, Ueda T, Chikuie N, Yasumatsu R, Matsuo M, Umeno H, Ono T, Masuda M, Toh S, Itoh K, Hirano S, Asakage T. Clinical, genomic and immune microenvironmental determinants of nivolumab response in head and neck squamous cell carcinoma. *Frontiers in Immunology* 15: 1390873. 2024. 7.
 215. Matsushita H, Mukudai S, Hashimoto K, Kaneko M, Sugiyama Y, Branski RC, Hirano S. Transient Receptor Potential Ankyrin 1 Channel Alters Transforming Growth Factor Beta 1/Smad Signaling in Rat Vocal Fold Fibroblasts. *Laryngoscope*. 2024 Jun 11. doi: 10.1002/lary.31570. Online ahead of print.
 216. Suzuki K, Fumino S, Iguchi M, Takayama S, Kim K, Hirano S, Ono S. Multidisciplinary therapeutic strategy with appropriate timing and modalities for treating cervicofacial lymphatic malformations in children. *Pediatr Surg Int*. 2024

Dec 19;41(1):35. doi: 10.1007/s00383-024-05947-y.

217. Okamoto S, Yasuda M, Kawaguchi K, Yasuoka K, Kikukawa Y, Asano S, Tsujii T, Inoue S, Amagase K, Inui TA, Hirano S, Inui T, Marunaka Y, Nakahari T. Ciliary Motility Decreased by a CO₂/HCO₃--Free Solution in Ciliated Human Nasal Epithelial Cells Having a pH Elevated by Carbonic Anhydrase IV. *Int J Mol Sci*. 2024 Aug 21;25(16):9069. doi: 10.3390/ijms25169069.
218. Hashimoto K, Sugiyama Y, Kaneko M, Kinoshita S, Yamamoto R, Ishida T, Umezaki T, Hirano S. A dysphagia model with denervation of the pharyngeal constrictor muscles in guinea pigs: functional evaluation of swallowing. *Front Neurol*. 2024 Jun 19;15:1401982. doi: 10.3389/fneur.2024.1401982. eCollection 2024.
219. Sato Y, Sugiyama Y, Ishida T, Inufusa H, You F, Joseph D, Hirano S. The potential role of oxidative stress in modulating airway defensive reflexes. *Antioxidants* 2025, 14, 568. <https://doi.org/10.3390/antiox14050568>
220. Kimura A, Mitsuda J, Yoshimura K, Saburi S, Murakami N, Sakurai N, Yoshizawa K, Morimoto H, Mukudai S, Nagao H, Ogi H, Shibata S, Miyagawa-Hayashino A, Konishi E, Itoh K, Hirano S, Tsujikawa T. Neoadjuvant therapy-induced immune dynamics and myeloid-associated resistance in advanced head and neck cancer. *NPJ Precis Oncol*. 2025 Jun 7;9(1):167. doi: 10.1038/s41698-025-00954-1.
221. Nakagawa Y, Kaneko M, Sugiyama Y, Nonaka K, Mukudai S, Hirano S. Simultaneous Bed Side Evaluation of Dysphagia and Dysphonia in Patients Under Acute Treatment for Central Nervous System Disorders. *J Voice*. 2025 Feb 18:S0892-1997(25)00037-2. doi: 10.1016/j.jvoice.2025.01.037. Online ahead of print.
222. Fuse S, Sugiyama Y, Dhingra RR, Hirano S, Dutschmann M, Okada Y, Oku Y. Spatio-temporal segregation between sensory relay and swallowing pre-motor population activities by optical imaging in the rat nucleus of the solitary tract. *Pflugers Arch*. 2025 May;477(5):719-727.